

# Kurak Toprağın Hayat Pompası Life Pump of Arid Land



## **POL DAP**

Dalgıç Motor & Pompa / Submersible Motor & Pump



[www.polmot.com.tr](http://www.polmot.com.tr)





**POL DAP**

Kurak Toprağın Hayat Pompası  
Life Pump of Arid Land




# Kurak Toprağın Hayat Pompası Life Pump of Arid Land





Kurak Toprağın Hayat Pompası  
Life Pump of Arid Land









## Döküm Fanlı Dalgıç Pompa Cast Iron Impeller Submersible Pump

154 / 205



## PLD 515


PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>Pump Type | Güç<br>Power | Güç<br>Power | Q m³/h   | 0,0 | 8,0 | 10,0 | 12,0 | 15,0 | 18,0 | 21,0 | 24,0 |
|-------------------------|--------------|--------------|----------|-----|-----|------|------|------|------|------|------|
|                         | HP           | kW           | Q lt/sec | 0   | 2,2 | 2,78 | 3,33 | 4,17 | 5    | 5,83 | 6,67 |
| PLD 515 / 05            | 3            | 2,2          | MMS (m)  | 36  | 30  | 28   | 26   | 23   | 20   | 16   | 11   |
| PLD 515 / 06            | 4            | 3            |          | 49  | 43  | 40   | 38   | 34   | 31   | 28   | 23   |
| PLD 515 / 07            | 4            | 3            |          | 57  | 50  | 47   | 45   | 40   | 36   | 32   | 27   |
| PLD 515 / 09            | 5,5          | 4            |          | 74  | 64  | 61   | 57   | 52   | 47   | 42   | 35   |
| PLD 515 / 11            | 7,5          | 5,5          |          | 90  | 78  | 74   | 70   | 63   | 57   | 51   | 43   |
| PLD 515 / 14            | 10           | 7,5          |          | 115 | 99  | 94   | 89   | 80   | 73   | 65   | 55   |
| PLD 515 / 16            | 12,5         | 9            |          | 142 | 128 | 122  | 115  | 105  | 96   | 87   | 77   |
| PLD 515 / 18            | 15           | 11           |          | 152 | 137 | 130  | 123  | 112  | 103  | 93   | 81   |

ÖLÇÜ TABLOSU / DIMENSIONS CHART


| ÖLÇÜ TABLOSU / DIMENSIONS CHART |              |              |                          |        |     |     |                               |                               |
|---------------------------------|--------------|--------------|--------------------------|--------|-----|-----|-------------------------------|-------------------------------|
| Pompa Tipi<br>Pump Type         | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D    | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı<br>Pump Weight |
|                                 | HP           | kW           |                          |        | mm  | mm  | LA (mm)                       | Kg                            |
| PLD 515 / 05                    | 3            | 2,2          | 4"                       | 2 1/2" | 125 | 127 | 750                           | 24                            |
| PLD 515 / 06                    | 4            | 3            | 4" 5"                    |        |     |     | 833                           | 27                            |
| PLD 515 / 07                    | 4            | 3            |                          |        |     |     | 916                           | 30                            |
| PLD 515 / 09                    | 5,5          | 4            |                          |        |     |     | 1082                          | 36                            |
| PLD 515 / 11                    | 7,5          | 5,5          |                          |        |     |     | 1248                          | 42                            |
| PLD 515 / 14                    | 10           | 7,5          |                          |        |     |     | 1497                          | 51                            |
| PLD 515 / 16                    | 12,5         | 9            | 5"                       |        |     |     | 1663                          | 57                            |
| PLD 515 / 18                    | 15           | 11           |                          |        |     |     | 1829                          | 63                            |

| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mili            | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |





## PLD 515



## PLD 518


PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>Pump Type | Güç<br>Power | Güç<br>Power | Q m³/h<br>Q lt/sec | 0,0 | 10,0 | 12,0 | 15,0 | 18,0 | 21,0 | 24,0 |
|-------------------------|--------------|--------------|--------------------|-----|------|------|------|------|------|------|
|                         | HP           | kW           |                    | 0   | 2,78 | 3,33 | 4,17 | 5    | 5,83 | 6,67 |
| PLD 518 / 03            | 2            | 1,5          | MMS (m)            | 26  | 22   | 21   | 19   | 17   | 16   | 14   |
| PLD 518 / 04            | 3            | 2,2          |                    | 35  | 29   | 28   | 25   | 23   | 21   | 19   |
| PLD 518 / 05            | 4            | 3            |                    | 43  | 37   | 35   | 31   | 29   | 26   | 24   |
| PLD 518 / 07            | 5,5          | 4            |                    | 61  | 51   | 48   | 44   | 40   | 37   | 33   |
| PLD 518 / 09            | 7,5          | 5,5          |                    | 78  | 66   | 62   | 56   | 52   | 47   | 43   |
| PLD 518 / 12            | 10           | 7,5          |                    | 104 | 88   | 83   | 75   | 69   | 63   | 57   |
| PLD 518 / 14            | 12,5         | 9            |                    | 124 | 103  | 99   | 91   | 83   | 75   | 67   |
| PLD 518 / 16            | 15           | 11           |                    | 134 | 113  | 109  | 98   | 90   | 82   | 72   |

ÖLÇÜ TABLOSU / DIMENSIONS CHART


| ÖLÇÜ TABLOSU / DIMENSIONS CHART |              |              |                          |        |     |     |                               |                               |
|---------------------------------|--------------|--------------|--------------------------|--------|-----|-----|-------------------------------|-------------------------------|
| Pompa Tipi<br>PumpType          | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D    | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı<br>Pump Weight |
|                                 | HP           | kW           |                          |        | mm  | mm  | LA (mm)                       | Kg                            |
| PLD 518 / 03                    | 2            | 1,5          | 4"                       | 2 1/2" | 125 | 127 | 584                           | 18                            |
| PLD 518 / 04                    | 3            | 2,2          |                          |        |     |     | 667                           | 21                            |
| PLD 518 / 05                    | 4            | 3            |                          |        |     |     | 750                           | 24                            |
| PLD 518 / 07                    | 5,5          | 4            | 4" 5"                    |        |     |     | 916                           | 30                            |
| PLD 518 / 09                    | 7,5          | 5,5          |                          |        |     |     | 1082                          | 36                            |
| PLD 518 / 12                    | 10           | 7,5          |                          |        |     |     | 1331                          | 45                            |
| PLD 518 / 14                    | 12,5         | 9            | 5"                       |        |     |     | 1497                          | 51                            |
| PLD 518 / 16                    | 15           | 11           |                          |        |     |     | 1663                          | 57                            |

| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mili            | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |





## PLD 518



## PLD 521


PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>Pump Type | Güç<br>Power | Güç<br>Power | Q m³/h<br>Q lt/sec | 0,0 | 12,0 | 15,0 | 18,0 | 21,0 | 24,0 | 30,0 |
|-------------------------|--------------|--------------|--------------------|-----|------|------|------|------|------|------|
|                         | HP           | kW           |                    | 0   | 3,33 | 4,17 | 5    | 5,83 | 6,67 | 8,33 |
| PLD 521 / 04            | 4            | 3            | MMS (m)            | 35  | 29   | 26   | 24   | 22   | 20   | 18   |
| PLD 521 / 05            | 5,5          | 4            |                    | 44  | 36   | 32   | 30   | 28   | 25   | 22   |
| PLD 521 / 07            | 7,5          | 5,5          |                    | 61  | 50   | 45   | 42   | 39   | 35   | 31   |
| PLD 521 / 09            | 10           | 7,5          |                    | 78  | 64   | 58   | 54   | 50   | 45   | 40   |
| PLD 521 / 12            | 12,5         | 9            |                    | 105 | 90   | 83   | 77   | 71   | 67   | 54   |
| PLD 521 / 14            | 15           | 11           |                    | 125 | 105  | 96   | 88   | 82   | 77   | 63   |

ÖLÇÜ TABLOSU / DIMENSIONS CHART


| Pompa Tipi<br>Pump Type | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D    | Q=A | Q=E | Pompa Uzunluğu<br>Pump Length | Pompa Ağırlığı<br>Pump Weight |
|-------------------------|--------------|--------------|--------------------------|--------|-----|-----|-------------------------------|-------------------------------|
|                         | HP           | kW           |                          |        | mm  | mm  | LA (mm)                       | Kg                            |
| PLD 521 / 04            | 4            | 3            | 4" 5"                    | 2 1/2" | 125 | 127 | 667                           | 21                            |
| PLD 521 / 05            | 5,5          | 4            |                          |        |     |     | 750                           | 24                            |
| PLD 521 / 07            | 7,5          | 5,5          |                          |        |     |     | 916                           | 30                            |
| PLD 521 / 09            | 10           | 7,5          |                          |        |     |     | 1082                          | 36                            |
| PLD 521 / 12            | 12,5         | 9            | 5"                       | 2 1/2" | 125 | 127 | 1331                          | 45                            |
| PLD 521 / 14            | 15           | 11           |                          |        |     |     | 1497                          | 51                            |

| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mili            | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |





# PLD 521



## PLD 625

PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>Pump Type | Güç<br>Power | Güç<br>Power | Q m³/h   | 18,0 | 19,8 | 21,6 | 23,4 | 25,0 | 27,0 | 28,8 | 30,6 | 32,4 |
|-------------------------|--------------|--------------|----------|------|------|------|------|------|------|------|------|------|
|                         | HP           | kW           | Q lt/sec | 5    | 5,5  | 6    | 6,5  | 7    | 7,5  | 8    | 8,5  | 9    |
| PLD 625 / 07            | 10           | 7,5          | MMS (m)  | 64   | 63   | 61   | 59   | 56   | 55   | 52   | 50   | 48   |
| PLD 625 / 08            | 10           | 7,5          |          | 74   | 73   | 70   | 67   | 64   | 62   | 59   | 57   | 54   |
| PLD 625 / 09            | 12,5         | 9            |          | 83   | 82   | 79   | 76   | 72   | 70   | 67   | 64   | 61   |
| PLD 625 / 10            | 15           | 11           |          | 92   | 91   | 87   | 84   | 80   | 78   | 74   | 71   | 68   |
| PLD 625 / 11            | 15           | 11           |          | 101  | 100  | 96   | 93   | 88   | 86   | 82   | 78   | 75   |
| PLD 625 / 12            | 15           | 11           |          | 111  | 109  | 105  | 100  | 96   | 93   | 89   | 85   | 82   |
| PLD 625 / 13            | 17,5         | 13           |          | 119  | 118  | 114  | 109  | 104  | 101  | 96   | 92   | 88   |
| PLD 625 / 14            | 20           | 15           |          | 128  | 127  | 122  | 118  | 112  | 109  | 104  | 99   | 95   |
| PLD 625 / 15            | 20           | 15           |          | 138  | 136  | 131  | 126  | 120  | 117  | 111  | 106  | 102  |
| PLD 625 / 16            | 25           | 18,5         |          | 147  | 145  | 140  | 134  | 128  | 125  | 118  | 113  | 109  |
| PLD 625 / 17            | 25           | 18,5         |          | 156  | 154  | 149  | 143  | 136  | 132  | 126  | 120  | 116  |
| PLD 625 / 18            | 25           | 18,5         |          | 165  | 163  | 157  | 151  | 144  | 140  | 133  | 127  | 122  |
| PLD 625 / 19            | 25           | 18,5         |          | 175  | 172  | 166  | 160  | 153  | 148  | 141  | 134  | 129  |
| PLD 625 / 20            | 30           | 22           |          | 184  | 181  | 175  | 168  | 161  | 156  | 148  | 141  | 136  |
| PLD 625 / 21            | 30           | 22           |          | 194  | 190  | 184  | 177  | 170  | 164  | 156  | 148  | 143  |
| PLD 625 / 22            | 30           | 22           |          | 203  | 199  | 193  | 185  | 178  | 172  | 163  | 155  | 150  |
| PLD 625 / 23            | 30           | 22           |          | 213  | 208  | 202  | 194  | 186  | 180  | 171  | 162  | 157  |
| PLD 625 / 24            | 35           | 26           |          | 222  | 217  | 211  | 202  | 194  | 188  | 178  | 169  | 164  |
| PLD 625 / 25            | 35           | 26           |          | 232  | 226  | 220  | 211  | 202  | 196  | 186  | 176  | 171  |
| PLD 625 / 26            | 35           | 26           |          | 241  | 235  | 229  | 219  | 210  | 204  | 193  | 183  | 178  |
| PLD 625 / 27            | 35           | 26           |          | 251  | 244  | 238  | 228  | 218  | 211  | 201  | 190  | 185  |
| PLD 625 / 28            | 40           | 30           |          | 260  | 253  | 246  | 236  | 227  | 219  | 208  | 197  | 192  |
| PLD 625 / 29            | 40           | 30           |          | 270  | 262  | 255  | 245  | 236  | 226  | 216  | 204  | 199  |
| PLD 625 / 30            | 40           | 30           |          | 279  | 271  | 264  | 253  | 245  | 233  | 223  | 211  | 206  |
| PLD 625 / 31            | 40           | 30           |          | 289  | 280  | 273  | 263  | 254  | 240  | 231  | 218  | 213  |
| PLD 625 / 32            | 40           | 30           |          | 298  | 289  | 282  | 271  | 261  | 247  | 238  | 225  | 220  |




## PLD 625

ÖLÇÜ TABLOSU / DIMENSIONS CHART


| ÖLÇÜ TABLOSU / DIMENSIONS CHART |              |              |                          |        |     |     |                               |                               |
|---------------------------------|--------------|--------------|--------------------------|--------|-----|-----|-------------------------------|-------------------------------|
| Pompa Tipi<br>PumpType          | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D    | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı<br>Pump Weight |
|                                 | HP           | kW           |                          |        | mm  | mm  | LA (mm)                       | Kg                            |
| PLD 625 / 07                    | 10           | 7,5          | 6"                       | 2 1/2" | 130 | 132 | 962                           | 64                            |
| PLD 625 / 08                    | 10           | 7,5          |                          |        |     |     | 1052                          | 68                            |
| PLD 625 / 09                    | 12,5         | 9            |                          |        |     |     | 1142                          | 72                            |
| PLD 625 / 10                    | 15           | 11           |                          |        |     |     | 1232                          | 76                            |
| PLD 625 / 11                    | 15           | 11           |                          |        |     |     | 1322                          | 80                            |
| PLD 625 / 12                    | 15           | 11           |                          |        |     |     | 1412                          | 84                            |
| PLD 625 / 13                    | 17,5         | 13           |                          |        |     |     | 1502                          | 88                            |
| PLD 625 / 14                    | 20           | 15           |                          |        |     |     | 1592                          | 92                            |
| PLD 625 / 15                    | 20           | 15           |                          |        |     |     | 1682                          | 96                            |
| PLD 625 / 16                    | 25           | 18,5         |                          |        |     |     | 1772                          | 100                           |
| PLD 625 / 17                    | 25           | 18,5         |                          |        |     |     | 1862                          | 104                           |
| PLD 625 / 18                    | 25           | 18,5         |                          |        |     |     | 1952                          | 108                           |
| PLD 625 / 19                    | 25           | 18,5         |                          |        |     |     | 2042                          | 112                           |
| PLD 625 / 20                    | 30           | 22           | 2132                     |        |     |     | 116                           |                               |
| PLD 625 / 21                    | 30           | 22           | 2222                     |        |     |     | 120                           |                               |
| PLD 625 / 22                    | 30           | 22           | 2312                     |        |     |     | 124                           |                               |
| PLD 625 / 23                    | 30           | 22           | 2402                     |        |     |     | 128                           |                               |
| PLD 625 / 24                    | 35           | 26           | 2492                     |        |     |     | 132                           |                               |
| PLD 625 / 25                    | 35           | 26           | 2582                     |        |     |     | 136                           |                               |
| PLD 625 / 26                    | 35           | 26           | 2672                     |        |     |     | 140                           |                               |
| PLD 625 / 27                    | 35           | 26           | 2762                     |        |     |     | 144                           |                               |
| PLD 625 / 28                    | 40           | 30           | 2852                     |        |     |     | 148                           |                               |
| PLD 625 / 29                    | 40           | 30           | 2942                     |        |     |     | 152                           |                               |
| PLD 625 / 30                    | 40           | 30           | 3032                     |        |     |     | 156                           |                               |
| PLD 625 / 31                    | 40           | 30           | 3122                     |        |     |     | 160                           |                               |
| PLD 625 / 32                    | 40           | 30           | 3212                     |        |     |     | 164                           |                               |

## PLD 625

| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mili            | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |



# PLD 625





## PLD 630

PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>PumpType | Güç<br>Power | Güç<br>Power | Q m³/h   | 21,6 | 23,4 | 25,2 | 27,0 | 28,8 | 30,0 | 32,4 | 34,2 | 36,0 |
|------------------------|--------------|--------------|----------|------|------|------|------|------|------|------|------|------|
|                        | HP           | kW           | Q lt/sec | 6    | 6,5  | 7    | 7,5  | 8    | 8,3  | 9    | 9,5  | 10   |
| PLD 630 / 04           | 6            | 4,5          | MMS (m)  | 37   | 36   | 35   | 34   | 33   | 32   | 31   | 29   | 28   |
| PLD 630 / 05           | 7,5          | 5,5          |          | 46   | 45   | 43   | 42   | 41   | 40   | 38   | 36   | 35   |
| PLD 630 / 06           | 10           | 7,5          |          | 55   | 53   | 52   | 51   | 50   | 48   | 46   | 44   | 42   |
| PLD 630 / 07           | 10           | 7,5          |          | 65   | 62   | 61   | 59   | 58   | 56   | 54   | 51   | 49   |
| PLD 630 / 08           | 12,5         | 9            |          | 74   | 71   | 70   | 72   | 66   | 64   | 62   | 58   | 55   |
| PLD 630 / 09           | 15           | 11           |          | 83   | 80   | 78   | 76   | 74   | 72   | 69   | 65   | 62   |
| PLD 630 / 10           | 15           | 11           |          | 93   | 91   | 88   | 86   | 85   | 82   | 78   | 74   | 69   |
| PLD 630 / 11           | 17,5         | 13           |          | 103  | 100  | 97   | 95   | 93   | 91   | 86   | 81   | 76   |
| PLD 630 / 12           | 20           | 15           |          | 112  | 109  | 105  | 104  | 101  | 99   | 93   | 89   | 83   |
| PLD 630 / 13           | 20           | 15           |          | 121  | 119  | 114  | 113  | 110  | 107  | 101  | 96   | 90   |
| PLD 630 / 14           | 25           | 18,5         |          | 131  | 128  | 123  | 121  | 118  | 115  | 109  | 104  | 97   |
| PLD 630 / 15           | 25           | 18,5         |          | 140  | 137  | 132  | 130  | 127  | 123  | 117  | 111  | 103  |
| PLD 630 / 16           | 25           | 18,5         |          | 150  | 146  | 141  | 139  | 135  | 132  | 125  | 118  | 110  |
| PLD 630 / 17           | 30           | 22           |          | 159  | 155  | 149  | 147  | 144  | 140  | 132  | 126  | 117  |
| PLD 630 / 18           | 30           | 22           |          | 166  | 164  | 158  | 156  | 152  | 148  | 140  | 133  | 124  |
| PLD 630 / 19           | 30           | 22           |          | 178  | 173  | 167  | 165  | 161  | 156  | 148  | 141  | 131  |
| PLD 630 / 20           | 30           | 22           |          | 187  | 182  | 176  | 174  | 169  | 164  | 156  | 148  | 138  |
| PLD 630 / 21           | 35           | 26           |          | 197  | 191  | 185  | 183  | 178  | 172  | 164  | 156  | 145  |
| PLD 630 / 22           | 35           | 26           |          | 206  | 200  | 194  | 192  | 186  | 180  | 172  | 163  | 152  |
| PLD 630 / 23           | 35           | 26           |          | 216  | 209  | 203  | 201  | 195  | 188  | 180  | 171  | 159  |
| PLD 630 / 24           | 40           | 30           |          | 225  | 218  | 212  | 210  | 203  | 196  | 188  | 178  | 166  |
| PLD 630 / 25           | 40           | 30           |          | 235  | 227  | 221  | 219  | 212  | 204  | 196  | 186  | 173  |
| PLD 630 / 26           | 40           | 30           |          | 244  | 236  | 230  | 228  | 220  | 212  | 204  | 193  | 180  |
| PLD 630 / 27           | 40           | 30           |          | 254  | 245  | 239  | 237  | 229  | 220  | 212  | 201  | 187  |
| PLD 630 / 28           | 40           | 30           |          | 263  | 254  | 248  | 246  | 237  | 228  | 220  | 208  | 194  |
| PLD 630 / 29           | 40           | 30           |          | 273  | 263  | 257  | 255  | 246  | 236  | 228  | 216  | 204  |


## PLD 630

ÖLÇÜ TABLOSU / DIMENSIONS CHART

| ÖLÇÜ TABLOSU / DIMENSIONS CHART |              |              |                          |        |     |     |                               |                               |
|---------------------------------|--------------|--------------|--------------------------|--------|-----|-----|-------------------------------|-------------------------------|
| Pompa Tipi<br>PumpType          | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D    | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı<br>Pump Weight |
|                                 | HP           | kW           |                          |        | mm  | mm  | LA (mm)                       | Kg                            |
| PLD 630 / 04                    | 6            | 4,5          | 6"                       | 2 1/2" | 130 | 132 | 692                           | 52                            |
| PLD 630 / 05                    | 7,5          | 5,5          |                          |        |     |     | 782                           | 56                            |
| PLD 630 / 06                    | 10           | 7,5          |                          |        |     |     | 872                           | 60                            |
| PLD 630 / 07                    | 10           | 7,5          |                          |        |     |     | 962                           | 64                            |
| PLD 630 / 08                    | 12,5         | 9            |                          |        |     |     | 1052                          | 68                            |
| PLD 630 / 09                    | 15           | 11           |                          |        |     |     | 1142                          | 72                            |
| PLD 630 / 10                    | 15           | 11           |                          |        |     |     | 1232                          | 76                            |
| PLD 630 / 11                    | 17,5         | 13           |                          |        |     |     | 1322                          | 80                            |
| PLD 630 / 12                    | 20           | 15           |                          |        |     |     | 1412                          | 84                            |
| PLD 630 / 13                    | 20           | 15           |                          |        |     |     | 1502                          | 88                            |
| PLD 630 / 14                    | 25           | 18,5         |                          |        |     |     | 1592                          | 92                            |
| PLD 630 / 15                    | 25           | 18,5         |                          |        |     |     | 1682                          | 96                            |
| PLD 630 / 16                    | 25           | 18,5         |                          |        |     |     | 1772                          | 100                           |
| PLD 630 / 17                    | 30           | 22           | 6" 7"                    |        |     |     | 1862                          | 104                           |
| PLD 630 / 18                    | 30           | 22           |                          |        |     |     | 1952                          | 108                           |
| PLD 630 / 19                    | 30           | 22           |                          |        |     |     | 2042                          | 112                           |
| PLD 630 / 20                    | 30           | 22           |                          |        |     |     | 2132                          | 116                           |
| PLD 630 / 21                    | 35           | 26           | 6"                       |        |     |     | 2222                          | 120                           |
| PLD 630 / 22                    | 35           | 26           |                          |        |     |     | 2312                          | 124                           |
| PLD 630 / 23                    | 35           | 26           |                          |        |     |     | 2402                          | 128                           |
| PLD 630 / 24                    | 40           | 30           | 6" 7"                    |        |     |     | 2492                          | 132                           |
| PLD 630 / 25                    | 40           | 30           |                          |        |     |     | 2582                          | 136                           |
| PLD 630 / 26                    | 40           | 30           |                          |        |     |     | 2672                          | 140                           |
| PLD 630 / 27                    | 40           | 30           |                          |        |     |     | 2762                          | 144                           |
| PLD 630 / 28                    | 40           | 30           |                          |        |     |     | 2852                          | 148                           |
| PLD 630 / 29                    | 40           | 30           |                          |        |     |     | 2942                          | 152                           |


## PLD 630

| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mili            | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |





## PLD 630



## PLD 643

PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>Pump Type | Güç<br>Power | Güç<br>Power | Q m³/h   | 0,0 | 7,2 | 14,4 | 21,6 | 28,8 | 36,0 | 43,0 | 50,4 | 59,4 |
|-------------------------|--------------|--------------|----------|-----|-----|------|------|------|------|------|------|------|
|                         | HP           | kW           | Q lt/sec | 0   | 2   | 4    | 6    | 8    | 10   | 12   | 14   | 16,5 |
| PLD 643 / 02            | 6            | 4,5          | MMS (m)  | 25  | 24  | 23   | 22   | 21   | 20   | 19   | 17   | 11   |
| PLD 643 / 03            | 7,5          | 5,5          |          | 39  | 38  | 36   | 35   | 34   | 31   | 28   | 25   | 18   |
| PLD 643 / 04            | 10           | 7,5          |          | 53  | 51  | 49   | 47   | 45   | 42   | 37   | 33   | 23   |
| PLD 643 / 05            | 12,5         | 9            |          | 68  | 65  | 62   | 59   | 56   | 52   | 46   | 40   | 29   |
| PLD 643 / 06            | 15           | 11           |          | 82  | 79  | 75   | 71   | 67   | 62   | 55   | 46   | 35   |
| PLD 643 / 07            | 17,5         | 13           |          | 96  | 93  | 88   | 83   | 78   | 72   | 64   | 56   | 41   |
| PLD 643 / 08            | 20           | 15           |          | 110 | 107 | 101  | 95   | 89   | 82   | 73   | 64   | 47   |
| PLD 643 / 09            | 25           | 18,5         |          | 124 | 121 | 114  | 107  | 100  | 92   | 82   | 72   | 53   |
| PLD 643 / 10            | 25           | 18,5         |          | 138 | 135 | 127  | 119  | 111  | 102  | 91   | 80   | 59   |
| PLD 643 / 11            | 30           | 22           |          | 152 | 149 | 140  | 131  | 122  | 112  | 100  | 88   | 65   |
| PLD 643 / 12            | 30           | 22           |          | 166 | 163 | 153  | 143  | 133  | 122  | 109  | 96   | 71   |
| PLD 643 / 13            | 35           | 26           |          | 180 | 177 | 166  | 155  | 144  | 132  | 118  | 104  | 77   |
| PLD 643 / 14            | 35           | 26           |          | 194 | 191 | 179  | 167  | 155  | 142  | 127  | 112  | 83   |
| PLD 643 / 15            | 40           | 30           |          | 208 | 205 | 192  | 179  | 166  | 152  | 136  | 120  | 89   |
| PLD 643 / 16            | 40           | 30           |          | 222 | 219 | 205  | 191  | 177  | 162  | 145  | 128  | 95   |
| PLD 643 / 17            | 50           | 37           |          | 236 | 233 | 218  | 203  | 188  | 172  | 154  | 136  | 101  |
| PLD 643 / 18            | 50           | 37           |          | 250 | 247 | 231  | 215  | 199  | 182  | 163  | 144  | 107  |
| PLD 643 / 19            | 50           | 37           |          | 264 | 261 | 244  | 227  | 210  | 192  | 172  | 152  | 113  |
| PLD 643 / 20            | 50           | 37           |          | 278 | 275 | 257  | 239  | 221  | 202  | 181  | 160  | 119  |
| PLD 643 / 21            | 50           | 37           |          | 292 | 289 | 270  | 251  | 232  | 212  | 190  | 168  | 125  |
| PLD 643 / 22            | 60           | 45           |          | 306 | 303 | 283  | 263  | 243  | 222  | 199  | 176  | 131  |
| PLD 643 / 23            | 60           | 45           |          | 320 | 317 | 296  | 275  | 254  | 232  | 208  | 184  | 137  |
| PLD 643 / 24            | 60           | 45           |          | 334 | 331 | 309  | 287  | 265  | 242  | 217  | 192  | 143  |
| PLD 643 / 25            | 70           | 51           |          | 348 | 345 | 322  | 299  | 276  | 252  | 226  | 200  | 149  |
| PLD 643 / 26            | 70           | 51           |          | 362 | 359 | 335  | 311  | 287  | 262  | 235  | 208  | 155  |
| PLD 643 / 27            | 70           | 51           |          | 376 | 373 | 348  | 323  | 298  | 272  | 244  | 216  | 161  |
| PLD 643 / 28            | 70           | 51           |          | 390 | 387 | 361  | 335  | 309  | 282  | 253  | 224  | 167  |
| PLD 643 / 29            | 80           | 59           |          | 404 | 401 | 374  | 347  | 320  | 292  | 262  | 232  | 173  |
| PLD 643 / 30            | 80           | 59           |          | 418 | 415 | 387  | 359  | 331  | 302  | 271  | 240  | 179  |
| PLD 643 / 31            | 80           | 59           |          | 432 | 429 | 400  | 371  | 342  | 312  | 280  | 248  | 185  |
| PLD 643 / 32            | 80           | 59           |          | 446 | 443 | 413  | 383  | 353  | 322  | 289  | 256  | 191  |

## PLD 643


ÖLÇÜ TABLOSU / DIMENSIONS CHART

| ÖLÇÜ TABLOSU / DIMENSIONS CHART |              |              |                          |         |     |     |                               |                               |
|---------------------------------|--------------|--------------|--------------------------|---------|-----|-----|-------------------------------|-------------------------------|
| Pompa Tipi<br>PumpType          | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D     | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı Pump<br>Weight |
|                                 | HP           | kW           |                          |         | mm  | mm  | LA (mm)                       | Kg                            |
| PLD 643 / 02                    | 6            | 4,5          | 6"                       | 3" - 4" | 150 | 152 | 570                           | 37                            |
| PLD 643 / 03                    | 7,5          | 5,5          |                          |         |     |     | 685                           | 43                            |
| PLD 643 / 04                    | 10           | 7,5          |                          |         |     |     | 800                           | 49                            |
| PLD 643 / 05                    | 12,5         | 9            |                          |         |     |     | 915                           | 55                            |
| PLD 643 / 06                    | 15           | 11           |                          |         |     |     | 1030                          | 61                            |
| PLD 643 / 07                    | 17,5         | 13           |                          |         |     |     | 1145                          | 67                            |
| PLD 643 / 08                    | 20           | 15           |                          |         |     |     | 1260                          | 73                            |
| PLD 643 / 09                    | 25           | 18,5         |                          |         |     |     | 1375                          | 79                            |
| PLD 643 / 10                    | 25           | 18,5         |                          |         |     |     | 1490                          | 85                            |
| PLD 643 / 11                    | 30           | 22           | 6" 7"                    |         |     |     | 1605                          | 91                            |
| PLD 643 / 12                    | 30           | 22           |                          |         |     |     | 1720                          | 97                            |
| PLD 643 / 13                    | 35           | 26           | 6"                       |         |     |     | 1835                          | 103                           |
| PLD 643 / 14                    | 35           | 26           |                          |         |     |     | 1950                          | 109                           |
| PLD 643 / 15                    | 40           | 30           | 6" 7"                    |         |     |     | 2065                          | 115                           |
| PLD 643 / 16                    | 40           | 30           |                          |         |     |     | 2180                          | 121                           |
| PLD 643 / 17                    | 50           | 37           |                          |         |     |     | 2295                          | 127                           |
| PLD 643 / 18                    | 50           | 37           |                          |         |     |     | 2410                          | 133                           |
| PLD 643 / 19                    | 50           | 37           |                          |         |     |     | 2525                          | 139                           |
| PLD 643 / 20                    | 50           | 37           |                          |         |     |     | 2640                          | 145                           |
| PLD 643 / 21                    | 50           | 37           |                          |         |     |     | 2755                          | 151                           |
| PLD 643 / 22                    | 60           | 45           | 7"                       |         |     |     | 2870                          | 157                           |
| PLD 643 / 23                    | 60           | 45           |                          |         |     |     | 2985                          | 163                           |
| PLD 643 / 24                    | 60           | 45           |                          |         |     |     | 3100                          | 169                           |
| PLD 643 / 25                    | 70           | 51           |                          |         |     |     | 3215                          | 175                           |
| PLD 643 / 26                    | 70           | 51           |                          |         |     |     | 3330                          | 181                           |
| PLD 643 / 27                    | 70           | 51           |                          |         |     |     | 3445                          | 187                           |
| PLD 643 / 28                    | 70           | 51           |                          |         |     |     | 3560                          | 193                           |
| PLD 643 / 29                    | 80           | 59           |                          |         |     |     | 3675                          | 199                           |
| PLD 643 / 30                    | 80           | 59           |                          |         |     |     | 3790                          | 205                           |
| PLD 643 / 31                    | 80           | 59           |                          |         |     |     | 3905                          | 211                           |
| PLD 643 / 32                    | 80           | 59           |                          |         |     |     | 4020                          | 217                           |




## PLD 643

| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mili            | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |



## PLD 643



## PLD 665

PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>Pump Type | Güç<br>Power | Güç<br>Power | Q m³/h   | 0,0 | 28,8 | 36,0 | 43,2 | 50,4 | 57,6 | 65,0 | 72,0 | 75,6 | 79,2 | 81,0 |
|-------------------------|--------------|--------------|----------|-----|------|------|------|------|------|------|------|------|------|------|
|                         | HP           | kW           | Q lt/sec | 0   | 8    | 10   | 12   | 14   | 16   | 18   | 20   | 21   | 22   | 22,5 |
| PLD 665 / 02            | 6            | 4,5          | MMS (m)  | 28  | 24   | 23   | 21   | 19   | 17   | 14   | 11   | 10   | 8    | 8    |
| PLD 665 / 03            | 7,5          | 5,5          |          | 42  | 35   | 34   | 32   | 29   | 25   | 21   | 17   | 14   | 12   | 11   |
| PLD 665 / 04            | 12,5         | 9            |          | 56  | 48   | 45   | 42   | 38   | 33   | 28   | 22   | 19   | 16   | 14   |
| PLD 665 / 05            | 15           | 11           |          | 69  | 60   | 57   | 53   | 48   | 43   | 36   | 28   | 24   | 20   | 18   |
| PLD 665 / 06            | 17,5         | 13           |          | 83  | 71   | 67   | 62   | 57   | 50   | 41   | 32   | 28   | 23   | 21   |
| PLD 665 / 07            | 20           | 15           |          | 97  | 83   | 79   | 74   | 68   | 59   | 50   | 39   | 33   | 27   | 25   |
| PLD 665 / 08            | 25           | 18,5         |          | 111 | 95   | 90   | 84   | 77   | 68   | 56   | 44   | 38   | 31   | 29   |
| PLD 665 / 09            | 25           | 18,5         |          | 125 | 107  | 101  | 95   | 86   | 76   | 64   | 50   | 43   | 35   | 31   |
| PLD 665 / 10            | 30           | 22           |          | 138 | 118  | 111  | 104  | 95   | 83   | 70   | 54   | 46   | 39   | 37   |
| PLD 665 / 11            | 30           | 22           |          | 153 | 133  | 126  | 115  | 107  | 95   | 80   | 62   | 53   | 44   | 40   |
| PLD 665 / 12            | 35           | 26           |          | 167 | 144  | 136  | 127  | 115  | 102  | 85   | 66   | 56   | 47   | 43   |
| PLD 665 / 13            | 35           | 26           |          | 181 | 153  | 145  | 135  | 123  | 108  | 90   | 70   | 58   | 49   | 44   |
| PLD 665 / 14            | 40           | 30           |          | 195 | 164  | 155  | 143  | 130  | 114  | 95   | 73   | 65   | 52   | 48   |
| PLD 665 / 15            | 40           | 30           |          | 208 | 183  | 172  | 160  | 145  | 128  | 107  | 83   | 70   | 59   | 52   |
| PLD 665 / 16            | 50           | 37           |          | 222 | 190  | 180  | 168  | 153  | 134  | 112  | 88   | 75   | 62   | 58   |
| PLD 665 / 17            | 50           | 37           |          | 235 | 201  | 191  | 178  | 163  | 142  | 119  | 94   | 80   | 66   | 62   |
| PLD 665 / 18            | 50           | 37           |          | 250 | 214  | 203  | 189  | 172  | 151  | 126  | 99   | 84   | 70   | 65   |
| PLD 665 / 19            | 50           | 37           |          | 265 | 227  | 215  | 200  | 181  | 159  | 133  | 104  | 90   | 74   | 68   |
| PLD 665 / 20            | 60           | 45           |          | 280 | 240  | 227  | 211  | 190  | 167  | 140  | 109  | 95   | 78   | 71   |
| PLD 665 / 21            | 60           | 45           |          | 295 | 253  | 239  | 222  | 199  | 175  | 147  | 114  | 100  | 82   | 74   |
| PLD 665 / 22            | 60           | 45           |          | 310 | 266  | 251  | 233  | 208  | 183  | 154  | 119  | 105  | 86   | 77   |
| PLD 665 / 23            | 60           | 45           |          | 325 | 279  | 263  | 244  | 217  | 191  | 161  | 124  | 110  | 90   | 80   |
| PLD 665 / 24            | 70           | 51           |          | 340 | 292  | 275  | 255  | 226  | 199  | 168  | 129  | 115  | 94   | 83   |
| PLD 665 / 25            | 70           | 51           |          | 355 | 305  | 287  | 266  | 235  | 207  | 175  | 134  | 120  | 98   | 86   |
| PLD 665 / 26            | 70           | 51           |          | 370 | 318  | 299  | 277  | 244  | 215  | 182  | 139  | 125  | 102  | 89   |
| PLD 665 / 27            | 70           | 51           |          | 385 | 331  | 311  | 288  | 253  | 223  | 189  | 144  | 130  | 106  | 92   |
| PLD 665 / 28            | 80           | 59           |          | 400 | 344  | 323  | 299  | 262  | 231  | 196  | 149  | 135  | 110  | 95   |
| PLD 665 / 29            | 80           | 59           |          | 415 | 357  | 335  | 310  | 271  | 239  | 203  | 154  | 140  | 114  | 98   |
| PLD 665 / 30            | 80           | 59           |          | 430 | 370  | 347  | 321  | 280  | 247  | 210  | 159  | 145  | 118  | 101  |




## PLD 665

ÖLÇÜ TABLOSU / DIMENSIONS CHART


| ÖLÇÜ TABLOSU / DIMENSIONS CHART |              |              |                          |         |     |     |                               |                               |
|---------------------------------|--------------|--------------|--------------------------|---------|-----|-----|-------------------------------|-------------------------------|
| Pompa Tipi<br>PumpType          | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D     | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı<br>Pump Weight |
|                                 | HP           | kW           |                          |         | mm  | mm  | LA (mm)                       | Kg                            |
| PLD 665 / 02                    | 6            | 4,5          | 6"                       | 3" - 4" | 150 | 152 | 570                           | 37                            |
| PLD 665 / 03                    | 7,5          | 5,5          |                          |         |     |     | 685                           | 43                            |
| PLD 665 / 04                    | 12,5         | 9            |                          |         |     |     | 800                           | 49                            |
| PLD 665 / 05                    | 15           | 11           |                          |         |     |     | 915                           | 55                            |
| PLD 665 / 06                    | 17,5         | 13           |                          |         |     |     | 1030                          | 61                            |
| PLD 665 / 07                    | 20           | 15           |                          |         |     |     | 1145                          | 67                            |
| PLD 665 / 08                    | 25           | 18,5         |                          |         |     |     | 1260                          | 73                            |
| PLD 665 / 09                    | 25           | 18,5         |                          |         |     |     | 1375                          | 79                            |
| PLD 665 / 10                    | 30           | 22           | 6" 7"                    |         |     |     | 1490                          | 85                            |
| PLD 665 / 11                    | 30           | 22           |                          |         |     |     | 1605                          | 91                            |
| PLD 665 / 12                    | 35           | 26           | 6"                       |         |     |     | 1720                          | 97                            |
| PLD 665 / 13                    | 35           | 26           |                          |         |     |     | 1835                          | 103                           |
| PLD 665 / 14                    | 40           | 30           | 6" 7"                    |         |     |     | 1950                          | 109                           |
| PLD 665 / 15                    | 40           | 30           |                          |         |     |     | 2065                          | 115                           |
| PLD 665 / 16                    | 50           | 37           |                          |         |     |     | 2180                          | 121                           |
| PLD 665 / 17                    | 50           | 37           |                          |         |     |     | 2295                          | 127                           |
| PLD 665 / 18                    | 50           | 37           |                          |         |     |     | 2410                          | 133                           |
| PLD 665 / 19                    | 50           | 37           |                          |         |     |     | 2525                          | 139                           |
| PLD 665 / 20                    | 60           | 45           | 7"                       |         |     |     | 2640                          | 145                           |
| PLD 665 / 21                    | 60           | 45           |                          |         |     |     | 2655                          | 151                           |
| PLD 665 / 22                    | 60           | 45           |                          |         |     |     | 2870                          | 157                           |
| PLD 665 / 23                    | 60           | 45           |                          |         |     |     | 2985                          | 163                           |
| PLD 665 / 24                    | 70           | 51           |                          |         |     |     | 3100                          | 169                           |
| PLD 665 / 25                    | 70           | 51           |                          |         |     |     | 3215                          | 175                           |
| PLD 665 / 26                    | 70           | 51           |                          |         |     |     | 3330                          | 181                           |
| PLD 665 / 27                    | 70           | 51           |                          |         |     |     | 3445                          | 187                           |
| PLD 665 / 28                    | 80           | 59           |                          |         |     |     | 3560                          | 193                           |
| PLD 665 / 29                    | 80           | 59           |                          |         |     |     | 3675                          | 199                           |
| PLD 665 / 30                    | 80           | 59           |                          |         |     |     | 3790                          | 205                           |

## PLD 665

| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mili            | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |



## PLD 665





## PLD 690

PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>Pump Type | Güç<br>Power | Güç<br>Power | Q m³/h   | 0,0 | 50,4 | 57,6 | 64,8 | 72,0 | 79,2 | 86,0 | 94,0 | 100,0 | 108,0 | 122,0 |
|-------------------------|--------------|--------------|----------|-----|------|------|------|------|------|------|------|-------|-------|-------|
|                         | HP           | kW           | Q lt/sec | 0   | 14   | 16   | 18   | 20   | 22   | 24   | 26   | 28    | 30    | 34    |
| PLD 690 / 02            | 7,5          | 5,5          | MMS (m)  | 27  | 19   | 18   | 17   | 16   | 15   | 14   | 13   | 10    | 8     | 5     |
| PLD 690 / 03            | 12,5         | 9,2          |          | 41  | 30   | 28   | 26   | 25   | 23   | 21   | 18   | 16    | 13    | 8     |
| PLD 690 / 04            | 15           | 11           |          | 54  | 39   | 37   | 35   | 34   | 31   | 28   | 24   | 21    | 17    | 10    |
| PLD 690 / 05            | 20           | 15           |          | 68  | 49   | 46   | 43   | 41   | 39   | 34   | 31   | 27    | 21    | 12    |
| PLD 690 / 06            | 25           | 18,5         |          | 81  | 59   | 55   | 51   | 49   | 46   | 42   | 36   | 30    | 25    | 14    |
| PLD 690 / 07            | 30           | 22           |          | 95  | 68   | 64   | 60   | 58   | 54   | 49   | 42   | 36    | 29    | 16    |
| PLD 690 / 08            | 30           | 22           |          | 109 | 78   | 73   | 68   | 65   | 62   | 56   | 49   | 42    | 33    | 18    |
| PLD 690 / 09            | 35           | 26           |          | 122 | 87   | 83   | 77   | 74   | 69   | 63   | 55   | 47    | 37    | 20    |
| PLD 690 / 10            | 40           | 30           |          | 136 | 97   | 92   | 85   | 82   | 77   | 70   | 61   | 52    | 41    | 22    |
| PLD 690 / 11            | 50           | 37           |          | 149 | 107  | 101  | 95   | 91   | 85   | 77   | 68   | 57    | 45    | 24    |
| PLD 690 / 12            | 50           | 37           |          | 163 | 116  | 110  | 103  | 99   | 93   | 84   | 74   | 62    | 49    | 26    |
| PLD 690 / 13            | 50           | 37           |          | 176 | 126  | 119  | 111  | 108  | 100  | 91   | 80   | 67    | 53    | 28    |
| PLD 690 / 14            | 60           | 45           |          | 190 | 135  | 129  | 120  | 116  | 108  | 98   | 87   | 72    | 57    | 30    |
| PLD 690 / 15            | 60           | 45           |          | 204 | 145  | 138  | 128  | 124  | 116  | 105  | 93   | 77    | 61    | 32    |
| PLD 690 / 16            | 60           | 45           |          | 217 | 155  | 147  | 137  | 133  | 123  | 112  | 99   | 82    | 65    | 34    |
| PLD 690 / 17            | 70           | 51           |          | 231 | 164  | 156  | 145  | 141  | 131  | 119  | 106  | 87    | 69    | 36    |
| PLD 690 / 18            | 70           | 51           |          | 244 | 174  | 165  | 154  | 150  | 139  | 126  | 112  | 92    | 73    | 38    |
| PLD 690 / 19            | 80           | 59           |          | 257 | 184  | 174  | 163  | 159  | 147  | 133  | 118  | 97    | 77    | 40    |
| PLD 690 / 20            | 80           | 59           |          | 270 | 194  | 183  | 172  | 168  | 155  | 140  | 124  | 102   | 81    | 42    |
| PLD 690 / 21            | 80           | 59           |          | 283 | 204  | 192  | 181  | 177  | 163  | 147  | 130  | 107   | 85    | 44    |
| PLD 690 / 22            | 90           | 66           |          | 296 | 214  | 201  | 190  | 186  | 171  | 154  | 136  | 112   | 89    | 46    |
| PLD 690 / 23            | 90           | 66           |          | 309 | 224  | 210  | 199  | 195  | 179  | 161  | 142  | 117   | 93    | 48    |
| PLD 690 / 24            | 90           | 66           |          | 322 | 234  | 219  | 208  | 204  | 187  | 168  | 148  | 122   | 97    | 50    |


## PLD 690

ÖLÇÜ TABLOSU / DIMENSIONS CHART


| ÖLÇÜ TABLOSU / DIMENSIONS CHART |              |              |                          |     |     |     |                               |                               |
|---------------------------------|--------------|--------------|--------------------------|-----|-----|-----|-------------------------------|-------------------------------|
| Pompa Tipi<br>PumpType          | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı<br>Pump Weight |
|                                 | HP           | kW           |                          |     | mm  | mm  | LA (mm)                       | Kg                            |
| PLD 690 / 02                    | 7,5          | 5,5          | 6"                       | 4"  | 150 | 152 | 615                           | 47                            |
| PLD 690 / 03                    | 12,5         | 9,2          |                          |     |     |     | 759                           | 56                            |
| PLD 690 / 04                    | 15           | 11           |                          |     |     |     | 903                           | 65                            |
| PLD 690 / 05                    | 20           | 15           |                          |     |     |     | 1047                          | 74                            |
| PLD 690 / 06                    | 25           | 18,5         |                          |     |     |     | 1191                          | 83                            |
| PLD 690 / 07                    | 30           | 22           | 6" 7"                    |     |     |     | 1335                          | 92                            |
| PLD 690 / 08                    | 30           | 22           |                          |     |     |     | 1479                          | 101                           |
| PLD 690 / 09                    | 35           | 26           | 6"                       |     |     |     | 1623                          | 110                           |
| PLD 690 / 10                    | 40           | 30           | 6" 7"                    |     |     |     | 1767                          | 119                           |
| PLD 690 / 11                    | 50           | 37           |                          |     |     |     | 1911                          | 128                           |
| PLD 690 / 12                    | 50           | 37           |                          |     |     |     | 2055                          | 137                           |
| PLD 690 / 13                    | 50           | 37           |                          |     |     |     | 2199                          | 146                           |
| PLD 690 / 14                    | 60           | 45           | 7"                       |     |     |     | 2343                          | 155                           |
| PLD 690 / 15                    | 60           | 45           |                          |     |     |     | 2487                          | 164                           |
| PLD 690 / 16                    | 60           | 45           |                          |     |     |     | 2631                          | 173                           |
| PLD 690 / 17                    | 70           | 51           |                          |     |     |     | 2775                          | 182                           |
| PLD 690 / 18                    | 70           | 51           |                          |     |     |     | 2919                          | 191                           |
| PLD 690 / 19                    | 80           | 59           |                          |     |     |     | 3063                          | 200                           |
| PLD 690 / 20                    | 80           | 59           |                          |     |     |     | 3207                          | 209                           |
| PLD 690 / 21                    | 80           | 59           |                          |     |     |     | 3351                          | 218                           |
| PLD 690 / 22                    | 90           | 66           |                          |     |     |     | 3495                          | 227                           |
| PLD 690 / 23                    | 90           | 66           |                          |     |     |     | 3639                          | 236                           |
| PLD 690 / 24                    | 90           | 66           |                          |     |     |     | 3783                          | 245                           |

## PLD 690

| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mili            | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |



## PLD 690





## PLD 766



PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>PumpType | Güç<br>Power | Güç<br>Power | Q m³/h   | 0,0 | 42,0 | 45,0 | 48,0 | 54,0 | 60,0 | 66,0 | 72,0 | 75,0 | 84,0 | 90,0 |
|------------------------|--------------|--------------|----------|-----|------|------|------|------|------|------|------|------|------|------|
|                        | HP           | kW           | Q lt/sec | 0   | 11,6 | 12,5 | 13,3 | 15   | 16,6 | 18,3 | 20   | 20,8 | 23,3 | 25   |
| PLD 766 / 04           | 25           | 18,5         | MMS (m)  | 82  | 68   | 66   | 64   | 59   | 56   | 51   | 45   | 42   | 33   | 27   |
| PLD 766 / 05           | 30           | 22           |          | 103 | 85   | 82   | 80   | 74   | 70   | 64   | 57   | 52   | 42   | 34   |
| PLD 766 / 06           | 35           | 26           |          | 123 | 102  | 99   | 96   | 89   | 84   | 76   | 68   | 63   | 50   | 40   |
| PLD 766 / 07           | 40           | 30           |          | 144 | 119  | 115  | 112  | 104  | 98   | 89   | 79   | 73   | 58   | 47   |
| PLD 766 / 08           | 50           | 37           |          | 165 | 136  | 131  | 128  | 118  | 111  | 102  | 90   | 83   | 66   | 54   |
| PLD 766 / 09           | 50           | 37           |          | 185 | 153  | 148  | 144  | 133  | 125  | 114  | 102  | 94   | 75   | 60   |
| PLD 766 / 10           | 60           | 45           |          | 206 | 170  | 164  | 160  | 148  | 139  | 127  | 113  | 104  | 83   | 67   |
| PLD 766 / 11           | 60           | 45           |          | 226 | 187  | 181  | 176  | 163  | 153  | 140  | 124  | 115  | 91   | 74   |
| PLD 766 / 12           | 75           | 55           |          | 247 | 204  | 197  | 192  | 177  | 167  | 153  | 135  | 125  | 99   | 81   |
| PLD 766 / 13           | 75           | 55           |          | 267 | 221  | 214  | 208  | 192  | 181  | 165  | 147  | 136  | 108  | 87   |
| PLD 766 / 14           | 75           | 55           |          | 288 | 238  | 230  | 224  | 207  | 195  | 178  | 158  | 146  | 116  | 94   |
| PLD 766 / 15           | 85           | 63           |          | 309 | 255  | 246  | 240  | 222  | 209  | 191  | 169  | 156  | 124  | 101  |
| PLD 766 / 16           | 95           | 70           |          | 329 | 272  | 263  | 256  | 237  | 223  | 203  | 181  | 167  | 133  | 107  |
| PLD 766 / 17           | 95           | 70           |          | 350 | 289  | 279  | 272  | 251  | 237  | 216  | 192  | 177  | 141  | 114  |
| PLD 766 / 18           | 100          | 75           |          | 371 | 306  | 295  | 288  | 265  | 251  | 229  | 203  | 187  | 149  | 121  |
| PLD 766 / 19           | 110          | 81           |          | 392 | 323  | 311  | 304  | 279  | 265  | 242  | 214  | 197  | 157  | 128  |
| PLD 766 / 20           | 110          | 81           |          | 413 | 340  | 327  | 320  | 293  | 279  | 255  | 225  | 207  | 165  | 135  |

ÖLÇÜ TABLOSU / DIMENSIONS CHART

| Pompa Tipi<br>PumpType | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D   | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı<br>Pump Weight |
|------------------------|--------------|--------------|--------------------------|-------|-----|-----|-------------------------------|-------------------------------|
|                        | HP           | kW           |                          |       | mm  | mm  | LA (mm)                       | Kg                            |
| PLD 766 / 04           | 25           | 18,5         | 6"                       | 4" 5" | 176 | 178 | 866                           | 50                            |
| PLD 766 / 05           | 30           | 22           | 6" 7"                    |       |     |     | 986                           | 57                            |
| PLD 766 / 06           | 35           | 26           | 6"                       |       |     |     | 1106                          | 64                            |
| PLD 766 / 07           | 40           | 30           | 6" 7" 8"                 |       |     |     | 1226                          | 71                            |
| PLD 766 / 08           | 50           | 37           |                          |       |     |     | 1346                          | 78                            |
| PLD 766 / 09           | 50           | 37           |                          |       |     |     | 1466                          | 85                            |
| PLD 766 / 10           | 60           | 45           |                          |       |     |     | 1586                          | 92                            |
| PLD 766 / 11           | 60           | 45           | 7" 8"                    |       |     |     | 1706                          | 99                            |
| PLD 766 / 12           | 75           | 55           | 8"                       |       |     |     | 1826                          | 106                           |
| PLD 766 / 13           | 75           | 55           |                          |       |     |     | 1946                          | 113                           |
| PLD 766 / 14           | 75           | 55           |                          |       |     |     | 2066                          | 120                           |
| PLD 766 / 15           | 85           | 63           |                          |       |     |     | 2186                          | 127                           |
| PLD 766 / 16           | 95           | 70           |                          |       |     |     | 2306                          | 134                           |
| PLD 766 / 17           | 95           | 70           |                          |       |     |     | 2426                          | 141                           |
| PLD 766 / 18           | 100          | 75           | 8" 10"                   |       |     |     | 2546                          | 148                           |
| PLD 766 / 19           | 110          | 81           |                          |       |     |     | 2666                          | 155                           |
| PLD 766 / 20           | 110          | 81           |                          |       |     |     | 2786                          | 162                           |

## PLD 766



| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mili            | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |

## PLD 770


PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>Pump Type | Güç<br>Power | Güç<br>Power | Q m³/h   | 0,0 | 48,0 | 54,0 | 60,0 | 66,0 | 72,0 | 75,0 | 84,0 | 90,0 | 96,0 | 105,0 |
|-------------------------|--------------|--------------|----------|-----|------|------|------|------|------|------|------|------|------|-------|
|                         | HP           | kW           | Q lt/sec | 0   | 13,3 | 15   | 16,6 | 18,3 | 20   | 20,8 | 23,3 | 25   | 26,6 | 29,1  |
| PLD 770 / 04            | 25           | 18,5         | MMS (m)  | 84  | 71   | 70   | 67   | 64   | 61   | 59   | 53   | 48   | 43   | 36    |
| PLD 770 / 05            | 30           | 22           |          | 105 | 89   | 87   | 84   | 80   | 76   | 74   | 66   | 60   | 54   | 45    |
| PLD 770 / 06            | 40           | 30           |          | 126 | 107  | 104  | 101  | 96   | 91   | 89   | 79   | 72   | 65   | 54    |
| PLD 770 / 07            | 50           | 37           |          | 147 | 125  | 122  | 118  | 112  | 106  | 104  | 92   | 84   | 76   | 63    |
| PLD 770 / 08            | 50           | 37           |          | 168 | 142  | 139  | 134  | 128  | 122  | 118  | 106  | 96   | 86   | 72    |
| PLD 770 / 09            | 60           | 45           |          | 189 | 160  | 157  | 151  | 144  | 137  | 133  | 119  | 108  | 97   | 81    |
| PLD 770 / 10            | 75           | 55           |          | 210 | 178  | 174  | 168  | 160  | 152  | 148  | 132  | 120  | 108  | 90    |
| PLD 770 / 11            | 75           | 55           |          | 231 | 196  | 191  | 185  | 176  | 167  | 163  | 145  | 132  | 119  | 99    |
| PLD 770 / 12            | 75           | 55           |          | 252 | 214  | 209  | 202  | 192  | 182  | 178  | 158  | 144  | 130  | 108   |
| PLD 770 / 13            | 85           | 63           |          | 273 | 231  | 226  | 218  | 208  | 198  | 192  | 172  | 156  | 140  | 117   |
| PLD 770 / 14            | 85           | 63           |          | 294 | 249  | 244  | 235  | 224  | 213  | 207  | 185  | 168  | 151  | 126   |
| PLD 770 / 15            | 95           | 70           |          | 315 | 267  | 261  | 252  | 240  | 228  | 222  | 198  | 180  | 162  | 135   |
| PLD 770 / 16            | 100          | 75           |          | 336 | 285  | 278  | 269  | 256  | 243  | 237  | 211  | 192  | 173  | 144   |
| PLD 770 / 17            | 110          | 81           |          | 357 | 303  | 296  | 286  | 272  | 258  | 252  | 224  | 204  | 184  | 153   |
| PLD 770 / 18            | 110          | 81           |          | 378 | 321  | 314  | 305  | 288  | 271  | 269  | 235  | 216  | 197  | 162   |


ÖLÇÜ TABLOSU / DIMENSIONS CHART

| Pompa Tipi<br>PumpType | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D  | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı<br>Pump Weight |
|------------------------|--------------|--------------|--------------------------|------|-----|-----|-------------------------------|-------------------------------|
|                        | HP           | kW           |                          |      | mm  | mm  |                               | LA (mm)                       |
| PLD 770 / 04           | 25           | 18,5         | 6"                       | 4"5" | 176 | 178 | 866                           | 50                            |
| PLD 770 / 05           | 30           | 22           | 6" 7"                    |      |     |     | 986                           | 57                            |
| PLD 770 / 06           | 40           | 30           |                          |      |     |     | 1106                          | 64                            |
| PLD 770 / 07           | 50           | 37           | 6" 7" 8"                 |      |     |     | 1226                          | 71                            |
| PLD 770 / 08           | 50           | 37           |                          |      |     |     | 1346                          | 78                            |
| PLD 770 / 09           | 60           | 45           | 7" 8"                    |      |     |     | 1466                          | 85                            |
| PLD 770 / 10           | 75           | 55           | 8"                       |      |     |     | 1586                          | 92                            |
| PLD 770 / 11           | 75           | 55           |                          |      |     |     | 1706                          | 99                            |
| PLD 770 / 12           | 75           | 55           |                          |      |     |     | 1826                          | 106                           |
| PLD 770 / 13           | 85           | 63           |                          |      |     |     | 1946                          | 113                           |
| PLD 770 / 14           | 85           | 63           |                          |      |     |     | 2066                          | 120                           |
| PLD 770 / 15           | 95           | 70           |                          |      |     |     | 2186                          | 127                           |
| PLD 770 / 16           | 100          | 75           | 8" 10"                   |      |     |     | 2306                          | 134                           |
| PLD 770 / 17           | 110          | 81           |                          |      |     |     | 2426                          | 141                           |
| PLD 770 / 18           | 110          | 81           |                          |      |     |     | 2546                          | 148                           |

| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mili            | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |



## PLD 770






## PLD 772

PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>Pump Type | Güç<br>Power | Güç<br>Power | Q m³/h   | 54,0 | 57,6 | 61,2 | 64,8 | 68,4 | 72,0 | 75,6 | 79,2 | 82,8 | 86,4 | 90,0 |
|-------------------------|--------------|--------------|----------|------|------|------|------|------|------|------|------|------|------|------|
|                         | HP           | kW           | Q lt/sec | 15   | 16   | 17   | 18   | 19   | 20   | 21   | 22   | 23   | 24   | 25   |
| PLD 772 / 02            | 15           | 11           | MMS (m)  | 37   | 36   | 36   | 35   | 35   | 34   | 33   | 32   | 30   | 29   | 28   |
| PLD 772 / 03            | 25           | 18,5         |          | 55   | 54   | 54   | 53   | 52   | 51   | 49   | 48   | 46   | 44   | 42   |
| PLD 772 / 04            | 30           | 22           |          | 73   | 72   | 71   | 70   | 69   | 67   | 65   | 63   | 61   | 59   | 56   |
| PLD 772 / 05            | 35           | 26           |          | 91   | 90   | 89   | 88   | 87   | 84   | 82   | 79   | 76   | 73   | 70   |
| PLD 772 / 06            | 50           | 37           |          | 110  | 108  | 107  | 106  | 104  | 101  | 98   | 95   | 91   | 88   | 84   |
| PLD 772 / 07            | 50           | 37           |          | 128  | 126  | 124  | 122  | 120  | 117  | 114  | 111  | 106  | 103  | 98   |
| PLD 772 / 08            | 60           | 45           |          | 147  | 144  | 142  | 141  | 139  | 135  | 131  | 127  | 121  | 117  | 112  |
| PLD 772 / 09            | 75           | 55           |          | 165  | 162  | 160  | 159  | 156  | 152  | 147  | 142  | 137  | 132  | 126  |
| PLD 772 / 10            | 75           | 55           |          | 183  | 180  | 178  | 177  | 174  | 168  | 163  | 158  | 152  | 147  | 140  |
| PLD 772 / 11            | 85           | 63           |          | 202  | 198  | 196  | 194  | 191  | 185  | 180  | 174  | 167  | 161  | 154  |
| PLD 772 / 12            | 85           | 63           |          | 220  | 216  | 214  | 212  | 208  | 202  | 196  | 190  | 182  | 176  | 168  |
| PLD 772 / 13            | 95           | 70           |          | 238  | 234  | 232  | 230  | 225  | 219  | 212  | 206  | 197  | 191  | 182  |
| PLD 772 / 14            | 100          | 75           |          | 256  | 252  | 250  | 247  | 242  | 236  | 229  | 222  | 212  | 205  | 196  |
| PLD 772 / 15            | 110          | 81           |          | 275  | 270  | 268  | 265  | 260  | 253  | 245  | 238  | 228  | 220  | 210  |


ÖLÇÜ TABLOSU / DIMENSIONS CHART

| ÖLÇÜ TABLOSU / DIMENSIONS CHART |              |              |                          |      |     |     |                               |                               |
|---------------------------------|--------------|--------------|--------------------------|------|-----|-----|-------------------------------|-------------------------------|
| Pompa Tipi<br>PumpType          | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D  | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı<br>Pump Weight |
|                                 | HP           | kW           |                          |      | mm  | mm  |                               |                               |
| PLD 772 / 02                    | 15           | 11           | 6"                       | 4"5" | 176 | 178 | 624                           | 36                            |
| PLD 772 / 03                    | 25           | 18,5         |                          |      |     |     | 744                           | 43                            |
| PLD 772 / 04                    | 30           | 22           | 6" 7" 8"                 |      |     |     | 864                           | 50                            |
| PLD 772 / 05                    | 35           | 26           | 6"                       |      |     |     | 984                           | 57                            |
| PLD 772 / 06                    | 50           | 37           | 6" 7" 8"                 |      |     |     | 1104                          | 64                            |
| PLD 772 / 07                    | 50           | 37           |                          |      |     |     | 1224                          | 71                            |
| PLD 772 / 08                    | 60           | 45           | 7" 8"                    |      |     |     | 1344                          | 78                            |
| PLD 772 / 09                    | 75           | 55           | 8"                       |      |     |     | 1464                          | 85                            |
| PLD 772 / 10                    | 75           | 55           |                          |      |     |     | 1584                          | 92                            |
| PLD 772 / 11                    | 85           | 63           |                          |      |     |     | 1704                          | 99                            |
| PLD 772 / 12                    | 85           | 63           |                          |      |     |     | 1824                          | 106                           |
| PLD 772 / 13                    | 95           | 70           |                          |      |     |     | 1944                          | 113                           |
| PLD 772 / 14                    | 100          | 75           | 8" 10"                   |      |     |     | 2064                          | 120                           |
| PLD 772 / 15                    | 110          | 81           |                          |      |     |     | 2184                          | 127                           |



| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mili            | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |

## PLD 772




## PLD 7145

PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>Pump Type | Güç<br>Power | Güç<br>Power | Q m³/h  | 0   | 90  | 100 | 111 | 122 | 133 | 144 | 155 | 165 | 176 | 198 |
|-------------------------|--------------|--------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|                         | HP           | kW           |         | 0   | 25  | 28  | 31  | 34  | 37  | 40  | 43  | 46  | 49  | 55  |
| PLD 7145 / 01           | 12,5         | 9            | MMS (m) | 21  | 17  | 16  | 15  | 15  | 14  | 13  | 12  | 11  | 10  | 7   |
| PLD 7145 / 02           | 25           | 18,5         |         | 42  | 32  | 31  | 30  | 29  | 28  | 27  | 25  | 23  | 21  | 15  |
| PLD 7145 / 03           | 35           | 26           |         | 63  | 48  | 47  | 45  | 44  | 42  | 40  | 37  | 34  | 31  | 22  |
| PLD 7145 / 04           | 50           | 37           |         | 84  | 64  | 62  | 60  | 58  | 56  | 53  | 49  | 46  | 41  | 29  |
| PLD 7145 / 05           | 60           | 45           |         | 105 | 79  | 78  | 75  | 73  | 70  | 66  | 61  | 57  | 51  | 36  |
| PLD 7145 / 06           | 70           | 51           |         | 126 | 95  | 93  | 90  | 87  | 84  | 80  | 74  | 68  | 62  | 44  |
| PLD 7145 / 07           | 80           | 59           |         | 147 | 111 | 109 | 105 | 102 | 98  | 93  | 86  | 80  | 72  | 51  |
| PLD 7145 / 08           | 90           | 66           |         | 168 | 127 | 124 | 120 | 116 | 112 | 106 | 98  | 91  | 82  | 58  |
| PLD 7145 / 09           | 100          | 75           |         | 189 | 143 | 140 | 135 | 131 | 126 | 119 | 110 | 102 | 92  | 65  |
| PLD 7145 / 10           | 110          | 81           |         | 210 | 159 | 155 | 150 | 145 | 140 | 133 | 123 | 114 | 103 | 73  |
| PLD 7145 / 11           | 125          | 92           |         | 231 | 175 | 171 | 165 | 160 | 154 | 146 | 135 | 125 | 113 | 80  |
| PLD 7145 / 12           | 150          | 110          |         | 252 | 191 | 186 | 180 | 174 | 168 | 159 | 147 | 137 | 123 | 87  |
| PLD 7145 / 13           | 150          | 110          |         | 273 | 206 | 202 | 195 | 189 | 182 | 172 | 159 | 148 | 133 | 94  |

ÖLÇÜ TABLOSU / DIMENSIONS CHART

| ÖLÇÜ TABLOSU / DIMENSIONS CHART |              |              |                          |     |     |     |                               |                               |
|---------------------------------|--------------|--------------|--------------------------|-----|-----|-----|-------------------------------|-------------------------------|
| Pompa Tipi<br>PumpType          | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı Pump<br>Weight |
|                                 | HP           | kW           |                          |     | mm  | mm  | LA (mm)                       | Kg                            |
| PLD 7145 / 01                   | 12,5         | 9            | 6"                       | 5"  | 176 | 178 | 586                           | 38                            |
| PLD 7145 / 02                   | 25           | 18,5         |                          |     |     |     | 759                           | 51                            |
| PLD 7145 / 03                   | 35           | 26           |                          |     |     |     | 931                           | 64                            |
| PLD 7145 / 04                   | 50           | 37           | 6" 7" 8"                 |     |     |     | 1103                          | 77                            |
| PLD 7145 / 05                   | 60           | 45           | 7" 8"                    |     |     |     | 1275                          | 90                            |
| PLD 7145 / 06                   | 70           | 51           |                          |     |     |     | 1447                          | 103                           |
| PLD 7145 / 07                   | 80           | 59           |                          |     |     |     | 1619                          | 116                           |
| PLD 7145 / 08                   | 90           | 66           |                          |     |     |     | 1791                          | 129                           |
| PLD 7145 / 09                   | 100          | 75           | 8" 10"                   |     |     |     | 1963                          | 142                           |
| PLD 7145 / 10                   | 110          | 81           |                          |     |     |     | 2135                          | 155                           |
| PLD 7145 / 11                   | 125          | 92           |                          |     |     |     | 2307                          | 168                           |
| PLD 7145 / 12                   | 150          | 110          | 10"                      |     |     |     | 2479                          | 181                           |
| PLD 7145 / 13                   | 150          | 110          |                          |     |     |     | 2651                          | 194                           |



| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mili            | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |







## PLD 8122


PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>Pump Type | Güç<br>Power | Güç<br>Power | Q m³/h<br>Q lt/sec | 72  | 79  | 86  | 94  | 100 | 108 | 115 | 122 | 130 | 137 | 144 | 151 | 162 |
|-------------------------|--------------|--------------|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|                         | HP           | kW           |                    | 20  | 22  | 24  | 26  | 28  | 30  | 32  | 34  | 36  | 38  | 40  | 42  | 45  |
| PLD 8122 / 01           | 10           | 7,5          | MMS (m)            | 20  | 20  | 19  | 18  | 17  | 16  | 15  | 14  | 14  | 12  | 11  | 10  | 8   |
| PLD 8122 / 02           | 20           | 15           |                    | 40  | 39  | 37  | 35  | 34  | 33  | 31  | 29  | 27  | 24  | 22  | 21  | 16  |
| PLD 8122 / 03           | 30           | 22           |                    | 60  | 59  | 56  | 53  | 51  | 49  | 46  | 43  | 41  | 36  | 33  | 31  | 24  |
| PLD 8122 / 04           | 40           | 30           |                    | 80  | 78  | 74  | 71  | 68  | 66  | 62  | 58  | 54  | 48  | 44  | 41  | 32  |
| PLD 8122 / 05           | 50           | 37           |                    | 100 | 98  | 93  | 89  | 86  | 82  | 77  | 72  | 68  | 60  | 55  | 52  | 40  |
| PLD 8122 / 06           | 60           | 45           |                    | 120 | 117 | 112 | 106 | 103 | 98  | 92  | 86  | 81  | 72  | 68  | 62  | 48  |
| PLD 8122 / 07           | 75           | 55           |                    | 140 | 137 | 130 | 124 | 120 | 115 | 108 | 101 | 95  | 88  | 82  | 72  | 56  |
| PLD 8122 / 08           | 85           | 63           |                    | 160 | 156 | 149 | 142 | 137 | 131 | 123 | 115 | 108 | 100 | 94  | 82  | 64  |
| PLD 8122 / 09           | 95           | 70           |                    | 180 | 176 | 167 | 159 | 154 | 148 | 139 | 130 | 122 | 112 | 106 | 93  | 72  |
| PLD 8122 / 10           | 110          | 81           |                    | 200 | 195 | 186 | 177 | 171 | 164 | 154 | 144 | 135 | 125 | 118 | 103 | 80  |
| PLD 8122 / 11           | 125          | 92           |                    | 220 | 215 | 205 | 195 | 186 | 180 | 169 | 156 | 149 | 136 | 129 | 113 | 86  |
| PLD 8122 / 12           | 125          | 92           |                    | 240 | 234 | 223 | 212 | 205 | 197 | 185 | 173 | 162 | 150 | 141 | 124 | 96  |
| PLD 8122 / 13           | 150          | 110          |                    | 260 | 254 | 242 | 230 | 222 | 213 | 200 | 187 | 176 | 160 | 153 | 134 | 104 |
| PLD 8122 / 14           | 150          | 110          |                    | 280 | 273 | 260 | 248 | 239 | 230 | 216 | 202 | 180 | 175 | 165 | 144 | 112 |
| PLD 8122 / 15           | 150          | 110          |                    | 300 | 293 | 279 | 266 | 257 | 246 | 236 | 216 | 203 | 185 | 175 | 155 | 120 |


ÖLÇÜ TABLOSU / DIMENSIONS CHART

| ÖLÇÜ TABLOSU / DIMENSIONS CHART |              |              |                          |         |     |     |                               |                               |
|---------------------------------|--------------|--------------|--------------------------|---------|-----|-----|-------------------------------|-------------------------------|
| Pompa Tipi<br>PumpType          | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D     | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı<br>Pump Weight |
|                                 | HP           | kW           |                          |         | mm  | mm  |                               |                               |
| PLD 8122 / 01                   | 10           | 7,5          | 6"                       | 5" - 6" | 205 | 207 | 570                           | 38                            |
| PLD 8122 / 02                   | 20           | 15           |                          |         |     |     | 710                           | 51                            |
| PLD 8122 / 03                   | 30           | 22           | 6" 7" 8"                 |         |     |     | 850                           | 64                            |
| PLD 8122 / 04                   | 40           | 30           |                          |         |     |     | 990                           | 77                            |
| PLD 8122 / 05                   | 50           | 37           |                          |         |     |     | 1130                          | 90                            |
| PLD 8122 / 06                   | 60           | 45           | 7" 8"                    |         |     |     | 1270                          | 103                           |
| PLD 8122 / 07                   | 75           | 55           | 8"                       |         |     |     | 1410                          | 116                           |
| PLD 8122 / 08                   | 85           | 63           |                          |         |     |     | 1550                          | 129                           |
| PLD 8122 / 09                   | 95           | 70           |                          |         |     |     | 1690                          | 142                           |
| PLD 8122 / 10                   | 110          | 81           | 8" 10"                   |         |     |     | 1830                          | 155                           |
| PLD 8122 / 11                   | 125          | 92           |                          |         |     |     | 1970                          | 168                           |
| PLD 8122 / 12                   | 125          | 92           |                          |         |     |     | 2110                          | 181                           |
| PLD 8122 / 13                   | 150          | 110          | 10"                      |         |     |     | 2250                          | 194                           |
| PLD 8122 / 14                   | 150          | 110          |                          |         |     |     | 2390                          | 207                           |
| PLD 8122 / 15                   | 150          | 110          |                          |         |     |     | 2530                          | 220                           |

| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mili            | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |



## PLD 8122



## PLD 8131


PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>Pump Type | Güç<br>Power | Güç<br>Power | Q m³/h<br>Q lt/sec | 90  | 99  | 108 | 117 | 126 | 135 | 144 | 153 | 162 | 171 | 180 |
|-------------------------|--------------|--------------|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|                         | HP           | kW           |                    | 25  | 28  | 30  | 33  | 35  | 38  | 40  | 43  | 45  | 48  | 50  |
| PLD 8131 / 01           | 10           | 7,5          | HAPOR (m)          | 17  | 16  | 15  | 15  | 13  | 13  | 11  | 9   | 9   | 6   | 4   |
| PLD 8131 / 02           | 20           | 15           |                    | 34  | 32  | 31  | 31  | 27  | 25  | 22  | 19  | 17  | 12  | 8   |
| PLD 8131 / 03           | 30           | 22           |                    | 51  | 49  | 47  | 46  | 41  | 38  | 34  | 29  | 25  | 19  | 13  |
| PLD 8131 / 04           | 40           | 30           |                    | 68  | 65  | 63  | 61  | 55  | 50  | 45  | 39  | 33  | 25  | 17  |
| PLD 8131 / 05           | 50           | 37           |                    | 85  | 82  | 79  | 76  | 69  | 63  | 57  | 49  | 41  | 32  | 22  |
| PLD 8131 / 06           | 60           | 45           |                    | 102 | 98  | 95  | 91  | 83  | 75  | 68  | 59  | 49  | 38  | 26  |
| PLD 8131 / 07           | 70           | 53           |                    | 119 | 115 | 111 | 106 | 97  | 88  | 80  | 69  | 57  | 45  | 31  |
| PLD 8131 / 08           | 80           | 63           |                    | 136 | 131 | 127 | 121 | 111 | 100 | 91  | 79  | 65  | 51  | 35  |
| PLD 8131 / 09           | 90           | 70           |                    | 153 | 148 | 143 | 136 | 125 | 113 | 103 | 89  | 73  | 58  | 40  |
| PLD 8131 / 10           | 100          | 81           |                    | 170 | 164 | 159 | 151 | 139 | 125 | 114 | 99  | 81  | 64  | 44  |
| PLD 8131 / 11           | 110          | 92           |                    | 187 | 181 | 175 | 166 | 153 | 138 | 126 | 109 | 89  | 71  | 49  |


ÖLÇÜ TABLOSU / DIMENSIONS CHART

| Pompa Tipi<br>PumpType | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı<br>Pump Weight |  |  |  |
|------------------------|--------------|--------------|--------------------------|-----|-----|-----|-------------------------------|-------------------------------|--|--|--|
|                        | HP           | kW           |                          |     | mm  | mm  | LA (mm)                       | Kg                            |  |  |  |
| PLD 8131 / 01          | 10           | 7,5          | 6"                       | 5"  | 190 | 192 | 582                           | 40                            |  |  |  |
| PLD 8131 / 02          | 20           | 15           |                          |     |     |     | 728                           | 52                            |  |  |  |
| PLD 8131 / 03          | 30           | 22           | 6" 7" 8"                 |     |     |     | 874                           | 63                            |  |  |  |
| PLD 8131 / 04          | 40           | 30           |                          |     |     |     | 1020                          | 75                            |  |  |  |
| PLD 8131 / 05          | 50           | 37           |                          |     |     |     | 1166                          | 86                            |  |  |  |
| PLD 8131 / 06          | 60           | 45           | 7" 8"                    |     |     |     | 1312                          | 98                            |  |  |  |
| PLD 8131 / 07          | 70           | 53           |                          |     |     |     | 1458                          | 109                           |  |  |  |
| PLD 8131 / 08          | 80           | 63           |                          |     |     |     | 1604                          | 121                           |  |  |  |
| PLD 8131 / 09          | 90           | 70           |                          |     |     |     | 1750                          | 132                           |  |  |  |
| PLD 8131 / 10          | 100          | 81           | 8" 10"                   |     |     |     | 1896                          | 144                           |  |  |  |
| PLD 8131 / 11          | 110          | 92           |                          |     |     |     | 2042                          | 155                           |  |  |  |

| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mili            | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |



## PLD 8131





## PLD 8140


PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>Pump Type | Güç<br>Power | Güç<br>Power | Q m³/h  | 0   | 72  | 79  | 86   | 95   | 109  | 124  | 140  | 154  | 170  | 180 |
|-------------------------|--------------|--------------|---------|-----|-----|-----|------|------|------|------|------|------|------|-----|
|                         | HP           | kW           |         | 0   | 20  | 22  | 23,9 | 26,4 | 30,3 | 34,5 | 38,8 | 42,8 | 47,2 | 50  |
| PLD 8140 / 01           | 12,5         | 9            | MMS (m) | 28  | 23  | 23  | 22   | 21   | 19   | 18   | 16   | 14   | 10   | 6   |
| PLD 8140 / 02           | 25           | 18,5         |         | 57  | 46  | 45  | 44   | 43   | 39   | 37   | 33   | 28   | 22   | 14  |
| PLD 8140 / 03           | 40           | 30           |         | 88  | 71  | 69  | 68   | 66   | 61   | 56   | 51   | 43   | 36   | 26  |
| PLD 8140 / 04           | 50           | 37           |         | 114 | 93  | 91  | 89   | 86   | 80   | 72   | 65   | 55   | 46   | 35  |
| PLD 8140 / 05           | 75           | 55           |         | 140 | 114 | 112 | 109  | 105  | 97   | 88   | 78   | 67   | 54   | 44  |
| PLD 8140 / 06           | 75           | 55           |         | 171 | 137 | 134 | 131  | 126  | 116  | 105  | 93   | 81   | 67   | 58  |
| PLD 8140 / 07           | 95           | 70           |         | 203 | 160 | 156 | 152  | 147  | 136  | 121  | 109  | 95   | 80   | 67  |
| PLD 8140 / 08           | 100          | 75           |         | 227 | 183 | 178 | 173  | 168  | 154  | 138  | 128  | 109  | 90   | 76  |
| PLD 8140 / 09           | 110          | 81           |         | 251 | 205 | 201 | 195  | 189  | 172  | 155  | 147  | 124  | 100  | 80  |
| PLD 8140 / 10           | 125          | 90           |         | 275 | 225 | 220 | 214  | 205  | 188  | 169  | 153  | 129  | 104  | 85  |
| PLD 8140 / 11           | 150          | 110          |         | 298 | 245 | 238 | 233  | 221  | 203  | 182  | 158  | 137  | 112  | 90  |
| PLD 8140 / 12           | 150          | 110          |         | 313 | 257 | 250 | 245  | 230  | 210  | 189  | 172  | 143  | 115  | 95  |


ÖLÇÜ TABLOSU / DIMENSIONS CHART

| Pompa Tipi<br>PumpType | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D     | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı<br>Pump Weight |
|------------------------|--------------|--------------|--------------------------|---------|-----|-----|-------------------------------|-------------------------------|
|                        | HP           | kW           |                          |         | mm  | mm  | LA (mm)                       | Kg                            |
| PLD 8140 / 01          | 12,5         | 9            | 6"                       | 5" - 6" | 205 | 207 | 590                           | 34                            |
| PLD 8140 / 02          | 25           | 18,5         |                          |         |     |     | 730                           | 46                            |
| PLD 8140 / 03          | 40           | 30           | 6" 7" 8"                 |         |     |     | 870                           | 58                            |
| PLD 8140 / 04          | 50           | 37           |                          |         |     |     | 1010                          | 70                            |
| PLD 8140 / 05          | 75           | 55           | 8"                       |         |     |     | 1150                          | 82                            |
| PLD 8140 / 06          | 75           | 55           |                          |         |     |     | 1290                          | 94                            |
| PLD 8140 / 07          | 95           | 70           |                          |         |     |     | 1430                          | 106                           |
| PLD 8140 / 08          | 100          | 75           | 8" 10"                   |         |     |     | 1570                          | 118                           |
| PLD 8140 / 09          | 110          | 81           |                          |         |     |     | 1710                          | 130                           |
| PLD 8140 / 10          | 125          | 90           |                          |         |     |     | 1850                          | 142                           |
| PLD 8140 / 11          | 150          | 110          | 10"                      |         |     |     | 1990                          | 154                           |
| PLD 8140 / 12          | 150          | 110          |                          |         |     |     | 2130                          | 166                           |

| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mili            | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |



## PLD 8140



## PLD 8180


PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>PumpType | Güç<br>Power | Güç<br>Power | Q m³/h<br>Q lt/sec | 0   | 126 | 140  | 155 | 170  | 180 | 200  | 230  | 245 | 252 |
|------------------------|--------------|--------------|--------------------|-----|-----|------|-----|------|-----|------|------|-----|-----|
|                        | HP           | kW           |                    | 0   | 35  | 38,8 | 43  | 47,2 | 50  | 55,5 | 63,9 | 68  | 70  |
| PLD 8180 / 01          | 12,5         | 9            | MMS (m)            | 29  | 17  | 16   | 15  | 14   | 14  | 13   | 10   | 7   | 6   |
| PLD 8180 / 02          | 25           | 18,5         |                    | 53  | 32  | 31   | 30  | 29   | 26  | 23   | 16   | 12  | 9   |
| PLD 8180 / 03          | 40           | 30           |                    | 76  | 47  | 45   | 43  | 41   | 39  | 33   | 23   | 15  | 11  |
| PLD 8180 / 04          | 50           | 37           |                    | 97  | 60  | 57   | 55  | 52   | 49  | 41   | 29   | 18  | 13  |
| PLD 8180 / 05          | 75           | 55           |                    | 123 | 76  | 71   | 68  | 65   | 61  | 51   | 34   | 21  | 15  |
| PLD 8180 / 06          | 75           | 55           |                    | 147 | 92  | 87   | 83  | 77   | 72  | 61   | 41   | 24  | 18  |
| PLD 8180 / 07          | 95           | 70           |                    | 169 | 106 | 100  | 95  | 89   | 84  | 70   | 47   | 30  | 21  |
| PLD 8180 / 08          | 100          | 75           |                    | 193 | 122 | 113  | 108 | 102  | 95  | 81   | 54   | 35  | 25  |
| PLD 8180 / 09          | 125          | 92           |                    | 217 | 138 | 127  | 122 | 115  | 107 | 91   | 61   | 39  | 29  |
| PLD 8180 / 10          | 125          | 92           |                    | 241 | 153 | 141  | 135 | 127  | 119 | 101  | 68   | 43  | 32  |
| PLD 8180 / 11          | 150          | 110          |                    | 265 | 168 | 156  | 149 | 140  | 130 | 111  | 74   | 48  | 35  |


ÖLÇÜ TABLOSU / DIMENSIONS CHART

| Pompa Tipi<br>PumpType | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D     | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı<br>Pump Weight |      |
|------------------------|--------------|--------------|--------------------------|---------|-----|-----|-------------------------------|-------------------------------|------|
|                        | HP           | kW           |                          |         | mm  | mm  | LA (mm)                       | Kg                            |      |
| PLD 8180 / 01          | 12,5         | 9            | 6"                       | 5" - 6" | 205 | 207 | 720                           | 44                            |      |
| PLD 8180 / 02          | 25           | 18,5         |                          |         |     |     | 905                           | 60                            |      |
| PLD 8180 / 03          | 40           | 30           | 6" 7" 8"                 |         |     |     | 1090                          | 76                            |      |
| PLD 8180 / 04          | 50           | 37           |                          |         |     |     | 1275                          | 92                            |      |
| PLD 8180 / 05          | 75           | 55           | 8"                       |         |     |     | 1460                          | 108                           |      |
| PLD 8180 / 06          | 75           | 55           |                          |         |     |     | 1645                          | 124                           |      |
| PLD 8180 / 07          | 95           | 70           | 8" 10"                   |         |     |     | 1830                          | 140                           |      |
| PLD 8180 / 08          | 100          | 75           |                          |         |     |     | 2015                          | 156                           |      |
| PLD 8180 / 09          | 125          | 92           |                          |         |     |     | 2200                          | 172                           |      |
| PLD 8180 / 10          | 125          | 92           |                          |         |     |     | 2385                          | 188                           |      |
| PLD 8180 / 11          | 150          | 110          | 10"                      |         |     |     |                               |                               | 2570 |

| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mil i           | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |



## PLD 8180





## PLD 8220


PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>Pump Type | Güç<br>Power | Güç<br>Power | Q m³/h  | 0   | 144 | 160  | 170  | 180  | 200  | 210  | 220  | 230  | 245 | 260  | 270 | 288 |
|-------------------------|--------------|--------------|---------|-----|-----|------|------|------|------|------|------|------|-----|------|-----|-----|
|                         | HP           | kW           |         | 0   | 40  | 44,4 | 47,2 | 50,0 | 55,5 | 58,3 | 61,0 | 63,8 | 68  | 72,2 | 75  | 80  |
| PLD 8220 / 01           | 17,5         | 13           | MMS (m) | 25  | 16  | 16   | 15   | 15   | 14   | 13   | 12   | 12   | 10  | 8    | 6   | 4   |
| PLD 8220 / 02           | 30           | 22           |         | 50  | 33  | 32   | 32   | 31   | 30   | 29   | 23   | 25   | 21  | 16   | 12  | 5   |
| PLD 8220 / 03           | 50           | 37           |         | 72  | 47  | 46   | 46   | 45   | 43   | 42   | 34   | 38   | 32  | 25   | 19  | 8   |
| PLD 8220 / 04           | 60           | 45           |         | 95  | 62  | 61   | 60   | 59   | 56   | 54   | 45   | 48   | 41  | 32   | 24  | 12  |
| PLD 8220 / 05           | 75           | 55           |         | 119 | 76  | 76   | 75   | 74   | 71   | 68   | 56   | 61   | 51  | 41   | 34  | 17  |
| PLD 8220 / 06           | 100          | 75           |         | 145 | 93  | 93   | 92   | 91   | 88   | 85   | 67   | 75   | 63  | 50   | 43  | 24  |
| PLD 8220 / 07           | 110          | 81           |         | 167 | 107 | 106  | 105  | 104  | 100  | 96   | 78   | 85   | 71  | 57   | 49  | 30  |
| PLD 8220 / 08           | 125          | 92           |         | 189 | 123 | 122  | 122  | 121  | 114  | 111  | 89   | 100  | 85  | 67   | 57  | 35  |
| PLD 8220 / 09           | 150          | 110          |         | 212 | 138 | 138  | 137  | 137  | 128  | 125  | 100  | 112  | 95  | 76   | 64  | 38  |
| PLD 8220 / 10           | 150          | 110          |         | 236 | 153 | 153  | 152  | 152  | 143  | 139  | 111  | 125  | 106 | 84   | 71  | 40  |


ÖLÇÜ TABLOSU / DIMENSIONS CHART

| Pompa Tipi<br>PumpType | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D     | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı<br>Pump Weight |
|------------------------|--------------|--------------|--------------------------|---------|-----|-----|-------------------------------|-------------------------------|
|                        | HP           | kW           |                          |         | mm  | mm  | LA (mm)                       | Kg                            |
| PLD 8220 / 01          | 17,5         | 13           | 6"                       | 5" - 6" | 205 | 207 | 720                           | 46                            |
| PLD 8220 / 02          | 30           | 22           | 6" 7" 8"                 |         |     |     | 905                           | 61                            |
| PLD 8220 / 03          | 50           | 37           |                          |         |     |     | 1090                          | 76                            |
| PLD 8220 / 04          | 60           | 45           | 7" 8"                    |         |     |     | 1275                          | 91                            |
| PLD 8220 / 05          | 75           | 55           | 8"                       |         |     |     | 1460                          | 106                           |
| PLD 8220 / 06          | 100          | 75           | 8" 10"                   |         |     |     | 1645                          | 121                           |
| PLD 8220 / 07          | 110          | 81           |                          |         |     |     | 1830                          | 136                           |
| PLD 8220 / 08          | 125          | 92           |                          |         |     |     | 2015                          | 151                           |
| PLD 8220 / 09          | 150          | 110          | 10"                      |         |     |     | 2200                          | 166                           |
| PLD 8220 / 10          | 150          | 110          | 10"                      |         |     |     | 2385                          | 181                           |

| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mili            | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |



## PLD 8220



## PLD 9180


PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>Pump Type | Güç<br>Power | Güç<br>Power | Q m³/h<br>Q lt/sec | 126 | 135  | 144  | 153  | 162 | 171  | 180  | 189  | 198 | 207  | 216 | 225  | 234 |
|-------------------------|--------------|--------------|--------------------|-----|------|------|------|-----|------|------|------|-----|------|-----|------|-----|
|                         | HP           | kW           |                    | 35  | 37,5 | 40,0 | 42,5 | 45  | 47,5 | 50,0 | 52,5 | 55  | 57,5 | 60  | 62,5 | 65  |
| PLD 9180 / 02B          | 40           | 30           | MMS (m)            | 55  | 53   | 52   | 50   | 48  | 46   | 44   | 42   | 40  | 32   | 24  | -    | -   |
| PLD 9180 / 02A          | 50           | 37           |                    | 58  | 57   | 56   | 54   | 53  | 52   | 50   | 48   | 47  | 45   | 43  | 41   | 37  |
| PLD 9180 / 03B          | 60           | 45           |                    | 82  | 80   | 78   | 75   | 72  | 71   | 66   | 63   | 60  | 48   | 46  | -    | -   |
| PLD 9180 / 03A          | 75           | 55           |                    | 88  | 86   | 84   | 82   | 80  | 78   | 75   | 73   | 70  | 67   | 65  | 61   | 57  |
| PLD 9180 / 04A          | 100          | 75           |                    | 117 | 114  | 112  | 109  | 107 | 104  | 100  | 97   | 94  | 90   | 86  | 82   | 76  |
| PLD 9180 / 05A          | 125          | 92           |                    | 146 | 143  | 140  | 136  | 133 | 130  | 125  | 121  | 117 | 112  | 107 | 102  | 95  |
| PLD 9180 / 06A          | 150          | 110          |                    | 176 | 171  | 168  | 163  | 160 | 156  | 150  | 146  | 141 | 135  | 129 | 123  | 114 |
| PLD 9180 / 07A          | 175          | 129          |                    | 205 | 200  | 196  | 191  | 187 | 182  | 175  | 170  | 164 | 157  | 150 | 143  | 123 |


ÖLÇÜ TABLOSU / DIMENSIONS CHART

| Pompa Tipi<br>PumpType | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı<br>Pump Weight |      |     |
|------------------------|--------------|--------------|--------------------------|-----|-----|-----|-------------------------------|-------------------------------|------|-----|
|                        | HP           | kW           |                          |     | mm  | mm  | LA (mm)                       | Kg                            |      |     |
| PLD 9180 / 02B         | 40           | 30           | 8"                       | 6"  | 230 | 232 | 929                           | 86                            |      |     |
| PLD 9180 / 02A         | 50           | 37           |                          |     |     |     | 929                           | 86                            |      |     |
| PLD 9180 / 03B         | 60           | 45           |                          |     |     |     | 1094                          | 112                           |      |     |
| PLD 9180 / 03A         | 75           | 55           |                          |     |     |     | 1094                          | 112                           |      |     |
| PLD 9180 / 04A         | 100          | 75           | 8" 10"                   |     |     |     |                               |                               | 1259 | 138 |
| PLD 9180 / 05A         | 125          | 92           |                          |     |     |     |                               |                               | 1424 | 164 |
| PLD 9180 / 06A         | 150          | 110          | 10"                      |     |     |     |                               |                               | 1589 | 190 |
| PLD 9180 / 07A         | 175          | 129          |                          |     |     |     |                               |                               | 1754 | 216 |

| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mil i           | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |



# PLD 9180





## PLD 10250


PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>Pump Type | Güç<br>Power | Güç<br>Power | Q m³/h<br>Q lt/sec | 180 | 198  | 216 | 234  | 250 | 270  | 288 |
|-------------------------|--------------|--------------|--------------------|-----|------|-----|------|-----|------|-----|
|                         | HP           | kW           |                    | 50  | 55,0 | 60  | 65,0 | 70  | 75,0 | 80  |
| PLD 10250 / 01B         | 40           | 30           | MMS (m)            | 32  | 31   | 30  | 28   | 27  | 25   | 24  |
| PLD 10250 / 01A         | 50           | 37           |                    | 34  | 33   | 32  | 30   | 29  | 27   | 25  |
| PLD 10250 / 02B         | 75           | 55           |                    | 63  | 62   | 60  | 58   | 54  | 52   | 48  |
| PLD 10250 / 02A         | 95           | 70           |                    | 68  | 65   | 63  | 60   | 57  | 54   | 50  |
| PLD 10250 / 03B         | 110          | 81           |                    | 95  | 93   | 90  | 87   | 82  | 77   | 72  |
| PLD 10250 / 03A         | 125          | 92           |                    | 102 | 98   | 95  | 91   | 86  | 81   | 75  |
| PLD 10250 / 04B         | 150          | 110          |                    | 126 | 124  | 120 | 115  | 109 | 103  | 96  |
| PLD 10250 / 04A         | 200          | 147          |                    | 136 | 131  | 127 | 122  | 115 | 108  | 100 |
| PLD 10250 / 05B         | 200          | 147          |                    | 158 | 155  | 150 | 144  | 136 | 129  | 120 |
| PLD 10250 / 05A         | 225          | 165          |                    | 170 | 164  | 159 | 151  | 144 | 135  | 125 |
| PLD 10250 / 06B         | 225          | 165          |                    | 190 | 186  | 180 | 173  | 164 | 155  | 144 |
| PLD 10250 / 06A         | 250          | 185          |                    | 204 | 197  | 191 | 182  | 173 | 162  | 150 |


ÖLÇÜ TABLOSU / DIMENSIONS CHART

| Pompa Tipi<br>PumpType | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı<br>Pump Weight |      |     |
|------------------------|--------------|--------------|--------------------------|-----|-----|-----|-------------------------------|-------------------------------|------|-----|
|                        | HP           | kW           |                          |     | mm  | mm  | LA (mm)                       | Kg                            |      |     |
| PLD 10250 / 01B        | 40           | 30           | 8"                       | 6"  | 257 | 259 | 678                           | 83                            |      |     |
| PLD 10250 / 01A        | 50           | 37           |                          |     |     |     | 678                           | 83                            |      |     |
| PLD 10250 / 02B        | 75           | 55           |                          |     |     |     | 863                           | 112                           |      |     |
| PLD 10250 / 02A        | 95           | 70           |                          |     |     |     | 863                           | 112                           |      |     |
| PLD 10250 / 03B        | 110          | 81           | 8" 10"                   |     |     |     |                               |                               | 1048 | 141 |
| PLD 10250 / 03A        | 125          | 92           |                          |     |     |     | 1048                          | 131                           |      |     |
| PLD 10250 / 04B        | 150          | 110          | 10"                      |     |     |     |                               |                               | 1233 | 170 |
| PLD 10250 / 04A        | 200          | 147          |                          |     |     |     | 1233                          | 170                           |      |     |
| PLD 10250 / 05B        | 200          | 147          |                          |     |     |     | 1418                          | 199                           |      |     |
| PLD 10250 / 05A        | 225          | 165          |                          |     |     |     | 1418                          | 199                           |      |     |
| PLD 10250 / 06B        | 225          | 165          |                          |     |     |     | 1603                          | 228                           |      |     |
| PLD 10250 / 06A        | 250          | 185          |                          |     |     |     | 1603                          | 228                           |      |     |

| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mili            | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |



## PLD 10250



## PLD 10300


PERFORMANS TABLOSU / PERFORMANCE CHART

| Pompa Tipi<br>PumpType | Güç<br>Power | Güç<br>Power | Q m³/h<br>Q lt/sec | 180 | 198 | 216 | 234 | 252 | 270 | 288 | 306 | 324 | 342 | 360 | 378 |
|------------------------|--------------|--------------|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|                        | HP           | kW           |                    | 50  | 55  | 60  | 65  | 70  | 75  | 80  | 85  | 90  | 95  | 100 | 105 |
| PLD 10300 / 01B        | 40           | 30           | MMS (m)            | 33  | 32  | 31  | 29  | 28  | 27  | 25  | 23  | 22  | 19  | 15  | 12  |
| PLD 10300 / 01A        | 50           | 37           |                    | 36  | 35  | 34  | 33  | 32  | 31  | 30  | 29  | 28  | 25  | 23  | 20  |
| PLD 10300 / 02B        | 85           | 63           |                    | 67  | 64  | 63  | 60  | 58  | 55  | 52  | 48  | 44  | 40  | 36  | 29  |
| PLD 10300 / 02A        | 100          | 75           |                    | 76  | 73  | 72  | 68  | 67  | 64  | 62  | 58  | 55  | 50  | 46  | 40  |
| PLD 10300 / 03B        | 125          | 92           |                    | 101 | 98  | 94  | 90  | 86  | 83  | 78  | 72  | 67  | 61  | 54  | 45  |
| PLD 10300 / 03A        | 150          | 110          |                    | 116 | 111 | 108 | 103 | 100 | 96  | 93  | 87  | 83  | 75  | 69  | 60  |
| PLD 10300 / 04B        | 175          | 129          |                    | 134 | 130 | 125 | 120 | 115 | 110 | 104 | 97  | 91  | 84  | 76  | 65  |
| PLD 10300 / 04A        | 200          | 147          |                    | 154 | 148 | 144 | 138 | 133 | 128 | 124 | 116 | 110 | 100 | 92  | 80  |
| PLD 10300 / 05B        | 200          | 147          |                    | 167 | 162 | 157 | 150 | 145 | 139 | 134 | 127 | 120 | 111 | 100 | 90  |
| PLD 10300 / 05A        | 250          | 185          |                    | 192 | 185 | 178 | 172 | 167 | 160 | 153 | 145 | 138 | 127 | 113 | 100 |


ÖLÇÜ TABLOSU / DIMENSIONS CHART

| Pompa Tipi<br>PumpType | Güç<br>Power | Güç<br>Power | Motor Tipi<br>Motor Type | Ø=D | Q=A | Q=E | Pompa Uzunluğu<br>Pump Lenght | Pompa Ağırlığı<br>Pump Weight |
|------------------------|--------------|--------------|--------------------------|-----|-----|-----|-------------------------------|-------------------------------|
|                        | HP           | kW           |                          |     | mm  | mm  | LA (mm)                       | Kg                            |
| PLD 10300 / 01B        | 40           | 30           | 8"                       | 6"  | 257 | 259 | 678                           | 83                            |
| PLD 10300 / 01A        | 50           | 37           |                          |     |     |     | 678                           | 83                            |
| PLD 10300 / 02B        | 85           | 63           |                          |     |     |     | 863                           | 112                           |
| PLD 10300 / 02A        | 100          | 75           | 863                      |     |     |     | 112                           |                               |
| PLD 10300 / 03B        | 125          | 92           | 1048                     |     |     |     | 141                           |                               |
| PLD 10300 / 03A        | 150          | 110          | 1048                     |     |     |     | 141                           |                               |
| PLD 10300 / 04B        | 175          | 129          | 1233                     |     |     |     | 170                           |                               |
| PLD 10300 / 04A        | 200          | 147          | 1233                     |     |     |     | 170                           |                               |
| PLD 10300 / 05B        | 200          | 147          | 1418                     |     |     |     | 199                           |                               |
| PLD 10300 / 05A        | 250          | 185          | 1418                     |     |     |     | 199                           |                               |

| ÜRÜN ÖZELLİKLERİ      |                 |          | PRODUCT SPECIFICATIONS |                 |          |
|-----------------------|-----------------|----------|------------------------|-----------------|----------|
| Ara Çanak             | Pik Döküm       | GG25     | Intermediate Bowl      | Cast Iron       | GG25     |
| Fan                   | Pik Döküm       | GG25     | Impeller               | Cast Iron       | GG25     |
| Pompa Mili            | Paslanmaz Çelik | AISI 420 | Pump Shaft             | Stainless Steel | AISI 420 |
| Kaplin                | Paslanmaz Çelik | AISI 420 | Coupling               | Stainless Steel | AISI 420 |
| Filtre & Kablo Kanalı | Paslanmaz Çelik | AISI 420 | Filter & Cable Guard   | Stainless Steel | AISI 420 |
| Klepe                 | Paslanmaz Çelik | AISI 420 | Valve Cap              | Stainless Steel | AISI 420 |



## PLD 10300





Kurak Toprağın Hayat Pompası  
Life Pump of Arid Land

